

### Dehydrated Culture Media

a wide range of general purpose, enrichment, selective and differential media, diluents and supplements. NB: information provided here is intended only as an aid to purchasing. When making up media, please, refer to the relevant instructions for use. Supplementary Reagent products should be stored at 2–8°C unless otherwise stated.

#### Aeromonas Medium (Ryan)

a selective, differential medium for the isolation of *Aeromonas hydrophila*

Aeromonas Medium Base (Ryan)			
500g	for 8.5 litres medium	CM0833B	
Ampicillin Supplement			
10 vials	for 500mL medium	SR0136E	

#### AFPA

a selective identification medium for the detection of *Aspergillus flavus* and *A. parasiticus*

AFPA Base			
500g	for 11.0 litres medium	CM0731B	
Chloramphenicol Supplement			
10 vials	for 500mL medium	SR0078E	
10 vials	for 2.0 litres medium	SR0078H	

#### Alkaline Peptone Water

a broth medium for the enrichment of *Vibrio* spp. from food, water and clinical samples

500g	for 16.7 litres medium	CM1028B	
------	------------------------	---------	--

#### Alkaline Saline Peptone Water (ISO)

a high pH, high salt medium for the selective enrichment of *Vibrio* spp. from food samples; complies with ISO/TS 21872

500g	for 12.5 litres medium	CM1117B	
------	------------------------	---------	--

ALOA® – see Chromogenic Listeria Agar (ISO)

#### Amies Transport Medium

for the preservation of organisms in transit

250g	for 12.5 litres medium	CM0425J	
------	------------------------	---------	--

#### Ampicillin Supplement

10 vials	25mg/vial	SR0136E	
----------	-----------	---------	--

#### ★ Anaerobe Basal Agar

for the growth of fastidious and other anaerobes; can be made selective using supplements

500g	for 10.9 litres medium	CM0972B	
N-S Anaerobe Selective Supplement for selective isolation of nonsporing anaerobes			
10 vials	for 500mL medium	SR0107B	
G-N Anaerobe Selective Supplement for selective isolation of Gram-negative anaerobes			
10 vials	for 500mL medium	SR0108B	
Neomycin Supplement 150mg/vial			
10 vials	for 2.0 litres medium	SR0163H	

#### Anaerobe Basal Broth

a medium for general growth of anaerobes

500g	for 14.1 litres medium	CM0957B	
------	------------------------	---------	--

Andrade's Peptone Water – see Peptone Water (Andrade)

#### Antibiotic Medium No. 1 (Seed agar)

a medium recommended for the seed layer in preparation of plates for the microbiological assay of antibiotics

500g	for 18.5 litres medium	CM0327B	
------	------------------------	---------	--

#### Antibiotic Medium No. 3 (Assay broth)

a medium for use in the serial dilution assay of penicillin and other antibiotics

500g	for 28.6 litres medium	CM0287B	
------	------------------------	---------	--

#### Arcobacter Broth

for the selective growth of *Arcobacter* spp.

Arcobacter Broth Base			
500g	for 20.8 litres medium	CM0965B	
CAT Supplement			
10 vials	for 500mL medium	SR0174E	
10 vials	for 2.0 litres medium	SR0174H	
OR			
CCDA Selective Supplement			
10 vials	for 500mL medium	SR0155E	
10 vials	for 2.0 litres medium	SR0155H	
10 vials	for 9.0 litres medium	SR0155N	

Aspergillus Medium – see AFPA

#### Azide Blood Agar Base

a selective medium for the detection and isolation of streptococci and staphylococci from faeces, sewage and other specimens

500g	for 16.7 litres medium	CM0259B	
------	------------------------	---------	--

#### Azide Dextrose Broth (Rothe Broth)

for the detection of enterococci in water, sewage and foods

500g	for 14.0 litres medium	CM0868B	
------	------------------------	---------	--

#### Bacillus cereus Selective Agar (PEMBA)

a selective and diagnostic medium for the isolation and enumeration of *Bacillus cereus*. This medium can be made more selective by the addition of cycloheximide solution.

Bacillus cereus Selective Agar Base			
500g	for 12.2 litres medium	CM0617B	
2.5kg	for 61.0 litres medium	CM0617R	
Polymyxin B Supplement			
10 vials	for 500mL medium	SR0099E	
Egg Yolk Emulsion			
100mL		SR0047C	
Cycloheximide 0.1% Solution			
100mL		SR0222C	

*Bacillus cereus* MYP Agar – see MYP Agar

# 12 Culture Media and Supplements

## Dehydrated Culture Media

### Baird-Parker Egg Yolk Agar (ISO)

a selective medium for the isolation and enumeration of coagulase-positive staphylococci from food, with formulation that complies with ISO 6888-1:1999

Baird-Parker Agar (ISO) Base for use with Egg Yolk Tellurite Emulsion. Do not use with RPF supplement			
500g	for 7.9 litres medium	CM1127B	
5kg	for 79 litres medium	CM1127T	
Egg Yolk Tellurite Emulsion			
100mL		SR0054C	
OR			
Egg Yolk Emulsion			
100mL		SR0047C	
Potassium Tellurite 3.5%			
10x2mL		SR0030J	

### Baird-Parker Egg Yolk Tellurite Agar

selective medium for the isolation and enumeration of coagulase-positive staphylococci from food

Baird-Parker Agar Base for use with Egg Yolk Tellurite Emulsion. Do not use with RPF supplement			
500g	for 7.9 litres medium	CM0275B	
Egg Yolk Tellurite Emulsion			
100mL		SR0054C	
OR			
Egg Yolk Emulsion			
100mL		SR0047C	
Potassium Tellurite 3.5%			
10x2mL		SR0030J	

### Baird-Parker RPF Agar

selective medium for the isolation and enumeration of coagulase-positive staphylococci from food

Baird-Parker Agar Base (RPF) for use with RPF supplement. Do not use with Egg Yolk Tellurite Emulsion.			
500g	for 7.1 litres medium	CM0961B	
RPF Supplement only to be used with Baird-Parker Agar Base (RPF). Store below 0°C.			
10 vials	for 100mL medium	SR0122A	

BAX® media - see page 57

BCYE – see Legionella BCYE Agar

### BiGGY Agar (Nickerson Medium)

for the isolation and presumptive identification of *Candida* spp.

500g	for 11.9 litres medium	CM0589B	
------	------------------------	---------	--

### Bile Aesculin Agar

a differential medium for the isolation and presumptive identification of enterococci

500g	for 11.2 litres medium	CM0888B	
------	------------------------	---------	--

### Bismuth Sulphite Agar (Modified Wilson & Blair Medium)

a medium for the isolation of *Salmonella* Typhi and other salmonellae. Particularly useful for the isolation of lactose-fermenting salmonellae. **N.B.** maximum shelf life of 12 months

500g	for 25.0 litres medium	CM0201B	
------	------------------------	---------	--

\* requires the addition of blood

### \* Blaser-Wang Selective Medium

a *Campylobacter* medium which can inhibit the growth of *Candida albicans*; can be supplemented with Campylobacter Growth Supplement

Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
OR			
Blood Agar Base No. 2			
500g	for 12.5 litres medium	CM0271B	
Campylobacter Selective Supplement (Blaser-Wang)			
10 vials	for 500mL medium	SR0098E	
Campylobacter Growth Supplement			
10 vials	for 500mL medium	SR0232E	

BLEB – see Buffered Listeria Enrichment Broth

### \* Blood Agar Base

a nonselective, general purpose medium which may be enriched with blood or serum

500g	for 12.5 litres medium	CM0055B	
5kg	for 125.0 litres medium	CM0055T	

### \* Blood Agar Base No. 2

an improved Blood Agar Base possessing enhanced nutritional properties suitable for the cultivation of fastidious organisms

500g	for 12.5 litres medium	CM0271B	
2.5kg	for 62.5 litres medium	CM0271R	
5kg	for 125.0 litres medium	CM0271T	

Blood Agar Base Sheep Blood – see Sheep Blood Agar Base

Blood Agar Base with Tryptose – see Tryptose Blood Agar Base

BMPA - see Legionella BMPA-□ Agar

### \* Bolton Selective Enrichment Broth

for selective enrichment of *Campylobacter* spp. in food samples; can be supplemented with Campylobacter Growth Supplement

Bolton Broth Base			
500g	for 18.1 litres medium	CM0983B	
Bolton Broth Selective Supplement			
10 vials	for 500mL medium	SR0183E	
OR			
Modified Bolton Broth Selective Supplement alternative supplement containing amphotericin B as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0208E	
Campylobacter Growth Supplement			
10 vials	for 500mL medium	SR0232E	

### \* Bordetella Selective Medium

for the selective isolation of *Bordetella pertussis* and *B. parapertussis*

Charcoal Agar Base			
500g	for 9.8 litres medium	CM0119B	
Bordetella Selective Supplement			
10 vials	for 500mL medium	SR0082E	

### Brain Heart Infusion Agar

highly nutritious medium, made using porcine brain, for the growth of fastidious organisms

500g	for 10.6 litres medium	CM1136B	
------	------------------------	---------	--

## Brain Heart Infusion Broth

highly nutritious medium, made using porcine brain, for the growth of fastidious organisms, recommended for blood culture work; also see Heart Infusion Broth

500g	for 13.5 litres medium	CM1135B	
2.5kg	for 67.5 litres medium	CM1135R	

Brewer's Thioglycollate Medium – see Thioglycollate Medium (Brewer)

Brilliance range of chromogenic agars – also see pages 14 and 15

## Brilliance Bacillus cereus Agar

a chromogenic medium for the isolation and differentiation of *Bacillus cereus* from food samples

Brilliance Bacillus cereus Agar Base			
500g	for 12.2 litres medium	CM1036B	
Brilliance Bacillus cereus Selective Supplement			
10 vials	for 500mL medium	SR0230E	

Brilliance CampyCount Agar - see page 15

## Brilliance Candida Agar

a chromogenic medium for the isolation and differentiation of clinical *Candida* spp., including *C. albicans*

Brilliance Candida Agar Base			
500g	for 16.0 litres medium	CM1002B	
Brilliance Candida Agar Selective Supplement			
10 vials	for 500mL medium	SR0231E	

## Brilliance E. coli/coliform Agar

for food and environmental samples

500g	for 9.0 litres medium	CM0956B	
------	-----------------------	---------	--

## Brilliance E. coli/coliform Selective Agar

for food, water and environmental samples

500g	for 17.8 litres medium	CM1046B	
2.5kg	for 89.0 litres medium	CM1046R	

## Brilliance Enterobacter sakazakii Agar (DFI)

a chromogenic medium for the isolation and differentiation of *Cronobacter* spp. from food and dairy samples, according to the formulation by Druggan, Forsythe and Iverson

100g	for 2.3 litres medium	CM1055A	
500g	for 11.6 litres medium	CM1055B	

Brilliance ESBL Agar - see page 14

## Brilliance Listeria Agar

a chromogenic medium for the selective growth and differentiation of *Listeria monocytogenes* and *Listeria* spp., and the isolation medium used in the **Oxoid Listeria Precis method**

Brilliance Listeria Agar Base			
500g	for 7.4 litres medium	CM1080B	
<b>NEW</b> 5kg	for 74 litres medium	CM1080T	
Brilliance Listeria Selective Supplement			
10 vials	for 500mL medium	SR0227E	
Brilliance Listeria Differential Supplement			
10 vials	for 500mL medium	SR0228E	

Brilliance MRSA 2 Agar - see page 14

## Brilliance Salmonella Agar

a novel chromogenic medium incorporating Inhibigen technology, for the presumptive identification of *Salmonella* spp. from clinical and food samples, and the isolation medium used in the **Oxoid Salmonella Precis method**

Brilliance Salmonella Agar Base			
500g	for 9.3 litres medium	CM1092B	
<b>NEW</b> 5kg	for 93 litres medium	CM1092T	
Salmonella Selective Supplement			
10 vials	for 500mL medium	SR0194E	

Brilliance Staph 24 Agar - see page 15

## Brilliance UTI Agar

a chromogenic medium to aid differentiation of organisms found in urinary tract infections (UTI)

500g	for 8.9 litres medium	CM0949B	
------	-----------------------	---------	--

Brilliance VRE Agar - see page 14

## Brilliance UTI Clarity Agar

an improved, clear, chromogenic UTI medium for the presumptive identification and differentiation of all the main microorganisms that cause UTIs

500g	for 13.5 litres medium	CM1106B	
------	------------------------	---------	--

## Brilliant Green Agar (Kauffmann Medium)

a selective medium for the isolation of salmonellae other than *Salmonella* Typhi. This can be made more selective by the addition of sulphamandelate.

500g	for 10.0 litres medium	CM0263B	
Sulphamandelate Supplement			
10 vials	for 500mL medium	SR0087E	

## Brilliant Green Agar (Modified) (Edel-Kampelmacher Medium)

a selective and diagnostic agar for salmonellae (other than *Salmonella* Typhi) from food and feeds. This can be made more selective by the addition of sulphamandelate.

500g	for 9.6 litres medium	CM0329B	
2.5kg	for 48.0 litres medium	CM0329R	
5kg	for 96.0 litres medium	CM0329T	
Sulphamandelate Supplement			
10 vials	for 500mL medium	SR0087E	

## Brilliant Green Bile 2% Broth

a medium for the detection or confirmation of members of the coli-aerogenes group; recommended for the 44°C confirmatory test for *E. coli*


500g	for 12.5 litres medium	CM0031B	
------	------------------------	---------	--

Turn over the page to find out more about our  
Brilliance Chromogenic Media

## Brilliance™ Chromogenic Media

The chromogens used in our *Brilliance* range of chromogenic media ensure that colony colours are vivid, allowing rapid, easy differentiation and presumptive identification of the organism in question. Depending on media type, these are available in dehydrated and ready-to-use formats.


### For Clinical Use



#### NEW Brilliance CRE Agar

A chromogenic screening plate for the detection of carbapenem-resistant Enterobacteriaceae from clinical samples.

Brilliance CRE Agar (ready poured plates) 10x90mm P01226A\*




#### Brilliance Candida Agar

A selective differential medium for the rapid isolation and identification of clinically important *Candida* spp.

Brilliance Candida Agar (ready poured plates) 10x90mm P01034A\*

Brilliance Candida Agar Base (dehydrated culture medium) 500g for 16.0 litres medium CM1002B


Brilliance Candida Agar Selective Supplement 10 vials for 500mL medium SR0231E



#### Brilliance ESBL Agar

Use this medium to identify ESBL-producing *E. coli* and the *Klebsiella*, *Enterobacter*, *Serratia* and *Citrobacter* group (KESC), direct from clinical samples in 24 hours.

Brilliance ESBL Agar (ready poured plates) 10x90mm P05302A\*



#### Brilliance Listeria Agar


A medium for the selective growth and differentiation of *Listeria monocytogenes* and *Listeria* spp.

Brilliance Listeria Agar (ready poured plates) 10x90mm P01102A\*

Brilliance Listeria Agar Base (dehydrated culture medium) 500g for 7.4 litres medium CM1080B  
5kg for 74 litres medium CM1080T

Brilliance Listeria Selective Supplement 10 vials for 500mL medium SR0227E


Brilliance Listeria Differential Supplement 10 vials for 500mL medium SR0228E



#### Brilliance MRSA 2 Agar

Offering excellent sensitivity with the simplicity of a chromogenic plate, use this medium to detect MRSA in 24 hours.

Brilliance MRSA Agar (ready poured plates) 10x90mm P01210A\*




#### Brilliance Salmonella Agar

A selective medium for the identification and differentiation of *Salmonella*.

Brilliance Salmonella Agar (ready poured plates) 10x90mm P05098A\*

Brilliance Salmonella Agar Base (dehydrated culture medium) 500g for 9.3 litres medium CM1092B

Salmonella Selective Supplement 10 vials for 500mL medium SR0194E




#### Brilliance UTI Clarity Agar

Use this clear medium for the differentiation and presumptive identification of common urinary tract infection organisms.

Brilliance UTI Clarity Agar (ready poured plates) 10x90mm P01110A\*

Brilliance UTI Clarity Agar (dehydrated culture medium) 500g for 13.5 litres medium CM1106B



#### Brilliance VRE Agar

A chromogenic screening plate for the detection of vancomycin-resistant enterococci, use this medium to identify of *E. faecium* and *E. faecalis*, direct from clinical samples in 24 hours.

Brilliance VRE Agar (ready poured plates) 10x90mm P01175A\*



#### Brilliance UTI Agar


A chromogenic medium for the presumptive identification and differentiation of all the main microorganisms that cause urinary tract infections.

Brilliance UTI Agar (ready poured plates) 10x90mm P00794A\*


Brilliance UTI Agar (dehydrated culture medium) 500g for 8.9 litres medium CM0949B

\* Only available in certain territories. Codes may vary. Please speak to your local supplier.


For Food Laboratories



**Brilliance CampyCount Agar**  
 A chromogenic selective medium for the enumeration of *C. jejuni* and *C. coli* from poultry and related samples.  
 Brilliance CampyCount Agar (ready poured plates) 10x90mm PO1185A\*




**Brilliance Bacillus cereus Agar**  
 Use for the isolation and differentiation of *B. cereus* from food and other samples.  
 Brilliance Bacillus cereus Agar Base (dehydrated culture medium) 500g for 12.2 litres medium CM1036B  
 Brilliance Bacillus cereus Selective Supplement 10 vials for 500mL medium SR0230E




**Brilliance Enterobacter sakazakii Agar**  
 For the differentiation and enumeration of *Cronobacter* spp. from infant formula and other food samples.  
 Brilliance Enterobacter sakazakii Agar [DFI] (dehydrated culture medium) 100g for 2.3 litres medium CM1055A  
 500g for 11.6 litres medium CM1055B




**Brilliance E. coli/coliform Agar**  
 Use to aid differentiation between *E. coli* and other coliforms from food and environmental samples.  
 Brilliance E. coli/coliform Agar (ready poured plates) 10x90mm P00745A\*  
 Brilliance E. coli/coliform Agar (dehydrated culture medium) 500g for 13.5 litres medium CM0956A



**Brilliance E. coli/coliform Selective Agar**  
 For the detection and enumeration of *E. coli* and other coliforms from food and water samples.  
 Brilliance E. coli/coliform Selective Agar (dehydrated culture medium) 500g for 17.8 litres medium CM1046B  
 2.5kg for 89.0 litres medium CM1046R



**Brilliance Listeria Agar**  
 A medium for isolation, enumeration and identification of *Listeria* spp. and *Listeria monocytogenes* from food samples, and used as part of the Oxoid Listeria Precis method.  
 Brilliance Listeria Agar (ready poured plates) 10x90mm P01102A\*  
 Brilliance Listeria Agar Base (dehydrated culture medium) 500g for 7.4 litres medium CM1080B  
 5kg for 7.4 litres medium CM1080T  
 Brilliance Listeria Selective Supplement 10 vials for 500mL medium SR0227E  
 Brilliance Listeria Differential Supplement 10 vials for 500mL medium SR0228E



**Brilliance Staph 24 Agar**  
 A selective, chromogenic medium for the isolation and enumeration of coagulase-positive staphylococci in foods within 24 hours.  
 Brilliance Staph 24 Agar (ready poured plates) 10x90mm PO1186A\*



**Brilliance Salmonella Agar**  
 A selective medium for the identification and differentiation of *Salmonella*.  
 Brilliance Salmonella Agar (ready poured plates) 10x90mm P05098A\*  
 Brilliance Salmonella Agar Base (dehydrated culture medium) 500g for 9.3 litres medium CM1092B  
 Salmonella Selective Supplement 10 vials for 500mL medium SR0194E

\* Only available in certain territories. Codes may vary. Please speak to your local supplier.

# 16 Culture Media and Supplements

## Dehydrated Culture Media

### Brucella Selective Medium

a selective medium for the cultivation and isolation of *Brucella* spp.

Blood Agar Base No. 2			
500g	for 12.5 litres medium	CM0271B	
OR			
Brucella Medium Base			
500g	for 11.1 litres medium	CM0169B	
OR			
Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
Brucella Selective Supplement			
10 vials	for 500mL medium	SR0083A	
OR			
Modified Brucella Selective Supplement alternative supplement containing natamycin as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0209E	
Horse Serum			
100mL		SR0035C	

Buffered Glucose Brilliant Green Bile Broth – see EE Broth

### Buffered Listeria Enrichment Broth (BLEB)

selective enrichment medium for the detection of *Listeria monocytogenes*, intended for use with samples of fermented products and as an alternative method for enrichment of environmental samples

Buffered Listeria Enrichment Broth			
500g	for 10.6 litres medium	CM0897B	
5kg	for 106.0 litres medium	CM0897T	
Listeria Selective Enrichment Supplement			
10 vials	for 500mL medium	SR0141E	
OR			
Modified Listeria Selective Enrichment Supplement alternative supplement containing amphotericin B as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0213E	

Buffered Charcoal Yeast Extract Agar – see Legionella BCYE Agar

Buffered Charcoal Yeast Extract Agar without L-Cysteine – see Legionella BCYE Agar without L-Cysteine

### Buffered Peptone Water

500g	for 25.0 litres medium	CM0509B	
2.5kg	for 125.0 litres medium	CM0509R	
5kg	for 250.0 litres medium	CM0509T	

### Buffered Peptone Water (ISO)

a nonselective pre-enrichment broth for the isolation of *Salmonella* from food samples; the formulation complies with ISO 6579:2002

500g	for 25.0 litres medium	CM1049B	
2.5kg	for 125.0 litres medium	CM1049R	
5kg	for 250.0 litres medium	CM1049T	

### Buffered Sodium Chloride Peptone (EP/USP/JP/BP)

an isotonic diluent made to the harmonized Microbial Limit Testing chapters from the EP/USP/JP specification

500g	for 34.2 litres medium	CM0982B	
------	------------------------	---------	--

### Burkholderia cepacia Medium

a selective medium for the isolation of *Burkholderia cepacia*

Burkholderia cepacia Agar Base			
100g	for 2.8 litres medium	CM0995A	
500g	for 13.7 litres medium	CM0995B	
Burkholderia cepacia Selective Supplement			
10 vials	for 500mL medium	SR0189E	

### ★ Butzler Selective Medium

a selective medium for the isolation of *Campylobacter* spp. at 37°C; can be supplemented with Campylobacter Growth Supplement

Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
Campylobacter Selective Supplement (Butzler)			
10 vials	for 500mL medium	SR0085E	
Campylobacter Growth Supplement			
10 vials	for 500mL medium	SR0232E	

Campylobacter Blood-Free Selective Medium - see CCDA Medium

### Campylobacter Growth Supplement

a liquid supplement for the enhanced growth and aerotolerance of *Campylobacter* spp.

10 vials	for 500mL medium	SR0232E	
----------	------------------	---------	--

Candida Chromogenic Agar – see Brilliance Candida Agar

### Cary-Blair Transport Medium

a transport medium for Gram-negative and anaerobic organisms

500g	for 37.6 litres medium	CM0519B	
------	------------------------	---------	--

Casein Soya Bean Digest Agar - see Tryptone Soya Agar

Casein Soya Bean Digest Broth - see Tryptone Soya Broth

### CAT Medium

an agar medium for the isolation of *Campylobacter* spp., especially *C. upsaliensis*

Campylobacter Blood-Free Selective Agar Base			
500g	for 11.0 litres medium	CM0739B	
CAT Supplement			
10 vials	for 500mL medium	SR0174E	
10 vials	for 2.0 litres medium	SR0174H	

### CCDA Medium

a medium for the isolation of *Campylobacter jejuni*, *C. coli*, *C. upsaliensis* and *C. lari*

Campylobacter Blood-Free Selective Agar Base			
500g	for 11.0 litres medium	CM0739B	
CCDA Selective Supplement			
10 vials	for 500mL medium	SR0155E	
10 vials	for 2.0 litres medium	SR0155H	

CDMN – see Clostridium difficile Moxalactam Norfloxacin Agar

### Cefixime Rhamnose Sorbitol MacConkey Agar

selective and differential medium containing rhamnose and cefixime for the isolation of *E. coli* O157

Cefixime Rhamnose Sorbitol MacConkey Agar Base			
500g	for 8.8 litres medium	CM1005B	
Cefixime Supplement			
10 vials	for 500mL medium	SR0191E	

## Cefixime Supplement

10 vials	0.025mg/vial	SR0191E	
----------	--------------	---------	--

## Cefixime Tellurite Sorbitol MacConkey Agar

for the isolation of *E. coli* O157

Sorbitol MacConkey Agar			
500g	for 9.7 litres medium	CM0813B	
C-T Supplement store below 0°C			
10 vials	for 500mL medium	SR0172E	
10 vials	for 2.0 litres medium	SR0172H	
10 vials	for 9.0 litres medium	SR0172N	

Cephalexin – see *Bordetella* Selective Medium, *Bordetella* Selective Supplement

Cetrimide Agar – see *Pseudomonas* Cetrimide Agar Base

## Cetrimide Selective Agar (EP/USP/JP/BP)

a solid medium recommended for use in quantitative procedures for selective and differential isolation of *Pseudomonas aeruginosa*

500g	11.0 litres medium	R452802	
------	--------------------	---------	--

CFC Agar – see *Pseudomonas* CFC Agar

Chapman Medium – see Mannitol Salt Agar

Charcoal Agar Base – see *Bordetella* Selective Medium

## China Blue Lactose Agar

for the differentiation and enumeration of bacteria in milk

500g	for 14.3 litres medium	CM0209B	
------	------------------------	---------	--

## Chloramphenicol Supplement

10 vials	50mg/vial	SR0078E	
10 vials	200mg/vial	SR0078H	

## Cholera Medium TCBS

a selective isolation medium for pathogenic vibrios

500g	for 5.7 litres medium	CM0333B	
------	-----------------------	---------	--

Christensen Agar – see Urea Agar

Christensen Broth – see Urea Broth

## Chromogenic Cronobacter Isolation Agar (CCI)

a chromogenic medium for the isolation and enumeration of *Cronobacter* (formerly *E. sakazakii*) from foods

500g	for 16.34 litres medium	CM1122B	
------	-------------------------	---------	--

## Chromogenic Listeria Agar (ISO)

a selective, chromogenic agar for *Listeria* spp. and *L. monocytogenes*, compliant with the ISO 11290-1:1997 recommended formulation

Chromogenic Listeria Agar Base (ISO)			
500g	for 7.2 litres medium	CM1084B	
OCLA (ISO) Selective Supplement			
10 vials	for 500mL medium	SR0226E	
OCLA (ISO) Differential Supplement L-α-phosphatidylinositol solution			
10 vials	for 500mL medium	SR0244E	

Chromogenic Salmonella Medium – see OSCM

Chromogenic TBX - see TBX Agar

Chromogenic (other) media - see *Brilliance* range, pages 14 and 15

CIN Agar – see *Yersinia* Selective Agar

Clarks & Lubbs Medium – see MRVP Medium

## Clausen Medium – Dithionite Thioglycollate (HS-T) Medium

originally taken from the Nordic Pharmacopoeia, for sterility testing

500g	for 12.5 litres medium	CM0353B	
------	------------------------	---------	--

## CLED Medium

Cystine-Lactose-Electrolyte Deficient medium for urinary bacteriology

500g	for 13.8 litres medium	CM0301B	
2.5kg	for 69.0 litres medium	CM0301R	

## CLED Medium (with Andrade's indicator)

for urinary bacteriology

500g	for 13.8 litres medium	CM0423B	
2.5kg	for 69.0 litres medium	CM0423R	

## ★ Clostridium difficile Selective Medium

for the isolation of *Clostridium difficile*

Clostridium difficile Agar Base			
500g	for 7.2 litres medium	CM0601B	
Clostridium difficile Selective Supplement			
10 vials	for 500mL medium	SR0096E	

## ★ Clostridium difficile Moxalactam Norfloxacin Selective Agar

a more selective alternative to Clostridium difficile Selective Medium

Clostridium difficile Agar Base			
500g	for 7.2 litres medium	CM0601B	
CDMN Supplement			
10 vials	for 500mL medium	SR0173E	

## ★ CNA Staph/Strep Selective Agar

a selective medium for staphylococci and streptococci

Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
OR			
Blood Agar Base No. 2			
500g	for 12.5 litres medium	CM0271B	
Staph/Strep Selective Supplement			
10 vials	for 500mL medium	SR0070E	
10 vials	for 9.0 litres medium	SR0070N	
OR			
Modified CNA Selective Supplement			
10 vials	for 2.5 litres medium	SR0176G	

# 18 Culture Media and Supplements

## Dehydrated Culture Media

CN Agar – see *Pseudomonas* CN Agar

### \* COBA Selective Medium

for the selective isolation of streptococci

Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
Streptococcus Selective Supplement (COBA)			
10 vials	for 500mL medium	SR0126E	

### Cold Filterable Tryptone Soya Broth

a gamma-irradiated, cold filterable Tryptone Soya Broth suitable for microbiological media fill trials in the pharmaceutical industry

500g	for 16.7 litres medium	CM1065B	
2.5kg	for 83.3 litres medium	CM1065R	
5kg	for 167.0 litres medium	CM1065T	
25kg	for 833.0 litres medium	CM1065K	

### Cold Filterable Vegetable Peptone Broth

a gamma-irradiated, cold filterable Vegetable Peptone Broth suitable for microbiological media fill trials in the pharmaceutical industry, made using raw materials free from animal-derived material

500g	for 16.1 litres medium	VG0104B	
5kg	for 161.0 litres medium	VG0104T	

### Columbia Agar MLT (EP/USP/JP/BP)

recommended for use in qualitative procedures as a general purpose medium for cultivation of fastidious and nonfastidious organisms

500g	12.0 litres medium	R455412	
------	--------------------	---------	--

### \* Columbia Blood Agar Base

a multipurpose medium suitable for the cultivation of fastidious organisms

500g	for 12.8 litres medium	CM0331B	
2.5kg	for 64.0 litres medium	CM0331R	
5kg	for 128.0 litres medium	CM0331T	

Columbia CNA Agar – see CNA Staph/Strep Selective Agar

### Cooked Meat Medium

an excellent medium for the primary growth and maintenance of aerobic and anaerobic organisms

500g		CM0081B	
------	--	---------	--

### Corn Meal Agar

a mycological medium for the identification of *C. albicans* and the maintenance of fungal stock cultures

500g	for 29.4 litres medium	CM0103B	
------	------------------------	---------	--

### Cronobacter Screening Broth (CSB)

a differential enrichment broth, for use in conjunction with chromogenic agars, for the isolation of *Cronobacter* (formerly *E. sakazaki*) from foods

Cronobacter Screening Broth Base			
500g	for 17.8 litres medium	CM1121B	
Vancomycin Supplement (5mg)			
10 vials	for 500mL medium	SR0247E	

### Crossley Milk Medium

a diagnostic medium for examination of food samples for anaerobes

500g	for 4.5 litres medium	CM0213B	
------	-----------------------	---------	--

CR-SMAC – see Cefixime Rhamnose Sorbitol MacConkey Agar

CT-SMAC – see Cefixime Tellurite Sorbitol MacConkey Agar

### Cycloheximide 0.1% Solution

a solution for addition to a range of Oxoid media for the suppression of fungi

100mL		SR0222C	
-------	--	---------	--

### Czapek Dox Agar Modified

for the cultivation of fungi

500g	for 11.0 litres medium	CM0097B	
------	------------------------	---------	--

### Czapek Dox Liquid Medium

for the cultivation of fungi

500g	for 15.0 litres medium	CM0095B	
------	------------------------	---------	--

DCA – see Desoxycholate Citrate Agar

DCA (Hynes) – see Desoxycholate Citrate Agar (Hynes)

### DCLS Agar (Desoxycholate Lactose Sucrose)

a modified DCA, containing sucrose to improve the accuracy of recognition of pathogenic Enterobacteriaceae

500g	for 10.0 litres medium	CM0393B	
------	------------------------	---------	--

D-Cycloserine – see Tryptose Cycloserine Agar, Perfringens (TSC) Supplement

De Man Rogosa Sharpe Agar – see MRS Agar

### Dermasel Medium

for the primary isolation and identification of dermatophyte fungi

Dermasel Agar Base			
500g	for 11.2 litres medium	CM0539B	
Dermasel Selective Supplement			
10 vials	for 500mL medium	SR0075E	
10 vials	for 2.0 litres medium	SR0075H	

### Desoxycholate Agar

a differential medium for the enumeration of coliforms and for the isolation of enteric pathogens

500g	for 11.1 litres medium	CM0163B	
------	------------------------	---------	--



## Desoxycholate Citrate Agar

a differential medium for the enumeration of coliforms and for the isolation of enteric pathogens

500g	for 10.3 litres medium	CM0035B	
------	------------------------	---------	--

## Desoxycholate Citrate Agar (Hynes)

for isolation of enteric pathogens

500g	for 9.6 litres medium	CM0227B	
------	-----------------------	---------	--

## Dextrose Tryptone Agar

for the detection and enumeration of thermophilic and mesophilic organisms in food

500g	for 18.5 litres medium	CM0075B	
------	------------------------	---------	--

## Dextrose Tryptone Broth

for the detection and enumeration of thermophilic and mesophilic organisms in food

500g	for 33.3 litres medium	CM0073B	
------	------------------------	---------	--

## Diagnostic Sensitivity Test Agar (DSTA)

a susceptibility test agar for antimicrobial susceptibility testing

500g	for 12.5 litres medium	CM0261B	
2.5kg	for 62.5 litres medium	CM0261R	
5kg	for 125.0 litres medium	CM0261T	

## Dichloran-Glycerol (DG18) Selective Medium

a selective, low water activity medium for xerophilic moulds from dried and semidried foods

Dichloran-Glycerol (DG18) Agar Base			
500g	for 15.9 litres medium	CM0729B	
Chloramphenicol Supplement			
10 vials	for 500mL medium	SR0078E	
10 vials	for 2.0 litres medium	SR0078H	

## Dichloran Rose-Bengal Chloramphenicol Agar (DRBC)

a selective medium for yeasts and moulds associated with food spoilage

DRBC Agar Base			
500g	for 15.9 litres medium	CM0727B	
Chloramphenicol Supplement			
10 vials	for 500 mL medium	SR0078E	
10 vials	for 2.0 litres medium	SR0078H	

## NEW Dichloran Rose-Bengal Chloramphenicol (ISO) Agar Base

a selective medium for yeasts and moulds associated with food spoilage, formulated according to ISO 21527-1

DRBC (ISO) Agar Base			
500g	for 15.8 litres medium	CM1148B	
Pre-supplemented DRBC (ISO) Agar			
500g	for 15.8 litres medium	CM1149B	

## DNase Agar

for the detection of microbial deoxyribonuclease enzymes, particularly from staphylococci

500g	for 12.8 litres medium	CM0321B	
------	------------------------	---------	--

DRBC – see Dichloran Rose-Bengal Chloramphenicol Agar

DSTA – see Diagnostic Sensitivity Test Agar

## EC Broth

for the isolation of *E. coli* and other coliforms

500g	for 13.5 litres medium	CM0853B	
------	------------------------	---------	--

## EC Broth (Reduced Bile Salts)

a selective enrichment broth for the growth of *E. coli* O157 from food and environmental samples. Enhanced selectivity can be achieved with the addition of novobiocin.

500g	for 13.7 litres medium	CM0990B	
2.5kg	for 68.5 litres medium	CM0990R	
Novobiocin Supplement			
10 vials	for 500mL medium	SR0181E	

## EC Broth with MUG

for the isolation and presumptive identification of *E. coli*

100g	for 2.7 litres medium	CM0979A	
500g	for 13.5 litres medium	CM0979B	

Edel-Kampelmacher Medium – see Brilliant Green Agar (Modified)

## ★ Edwards Medium Modified

for the selective isolation of *Streptococcus agalactiae*

500g	for 12.2 litres medium	CM0027B	
------	------------------------	---------	--

## EE Broth (Buffered Glucose Brilliant Green Bile Broth)

an enrichment medium for bile-tolerant, Gram-negative bacteria

500g	for 11.5 litres medium	CM0317B	
5kg	for 114.9 litres medium	CM0317T	

## Endo Agar

an APHA recommended medium for the confirmation of coliforms; also see Membrane Endo Agar LES

Endo Agar Base			
500g	for 13.9 litres medium	CM0479B	
Basic Fuchsin Indicator			
10g		BR0050A	

## Enterobacteria Enrichment Broth-Mossel (EP/USP/JP/BP)

an enrichment medium for bile-tolerant, Gram-negative bacteria in the microbiological examination of pharmaceutical products

500g	for 19.2 litres medium	CM1115B	
------	------------------------	---------	--

## Enterobacter sakazakii Isolation Agar

A chromogenic medium for the isolation and enumeration of *Cronobacter* (formerly *E. sakazakii*) from milk and milk products, with formulation that complies with ISO/TS 22964:2006

500g	for 18.0 litres medium	CM1134B	
------	------------------------	---------	--

Enterococcus Agar – see Slanetz and Bartley Medium

## Eosin Methylene Blue Agar (Levine)

an isolation medium for the differentiation of Enterobacteriaceae

500g	for 13.3 litres medium	CM0069B	
------	------------------------	---------	--

FBP Supplement – see Campylobacter Growth Supplement

## Dehydrated Culture Media

### Fraser Broth

a secondary, selective, diagnostic enrichment medium for the isolation of *Listeria* spp. from food and environmental samples

Fraser Broth Base			
500g	for 8.7 litres medium	CM0895B	
2.5kg	for 43.6 litres medium	CM0895R	
5kg	for 87.1 litres medium	CM0895T	
Fraser Supplement			
10 vials	for 500mL medium	SR0156E	

GBS Agar – see Group B Streptococci Medium

GC Media – see New York City Media and Thayer Martin Media

### ★ Gardnerella vaginalis Selective Medium

for the isolation of *Gardnerella vaginalis*

Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
Gardnerella vaginalis Selective Supplement			
10 vials	for 500mL medium	SR0119E	

### Gentamicin Supplement

10 vials	256mg/vial	SR0185E	
----------	------------	---------	--

### Giolitti-Cantoni Broth

for the enrichment of *Staphylococcus aureus* from foods

Giolitti-Cantoni Broth Base			
500g	for 9.2 litres medium	CM0523B	
Potassium Tellurite 3.5%			
10x2mL		SR0030J	

### G-N Anaerobe Selective Supplement

for selective isolation of Gram-negative anaerobes

10 vials	for 500mL medium	SR0108B	
----------	------------------	---------	--

### Group B Streptococci Medium

for the isolation and detection of Group B streptococci in clinical specimens

GBS Agar Base (Islam)			
500g	for 11.1 litres medium	CM0755B	
Horse Serum			
100mL		SR0035C	

GVPC Selective Medium – see Legionella GVPC Selective Medium

GVPN Selective Medium – see Legionella GVPN Selective Medium

### Haemophilus Test Medium (HTM)

for the susceptibility testing of *Haemophilus influenzae*

HTM Base			
500g	for 11.6 litres medium	CM0898B	
HTM Supplement			
store at –20°C to 0°C			
10 vials	for 500mL medium	SR0158E	

★ requires the addition of blood

### Half Fraser Broth

a primary selective enrichment broth for *Listeria* spp.

Fraser Broth Base			
500g	for 8.7 litres medium	CM0895B	
2.5kg	for 43.6 litres medium	CM0895R	
5kg	for 87.1 litres medium	CM0895T	
Half Fraser Supplement			
10 vials	for 225mL medium	SR0166E	
10 vials	for 2.25 litres medium	SR0166G	

### Half Fraser Broth (without Ferric Ammonium Citrate)

a pre-supplemented primary selective enrichment broth for *Listeria* spp., no further additions, except Ferric Ammonium Citrate, if required

500g	for 8.7 litres medium	CM1053B	
2.5kg	for 43.6 litres medium	CM1053R	
10kg	for 174.4 litres medium	CM1053G	

### Heart Infusion Agar

a solid medium recommended for use in qualitative procedures for isolation of a wide variety of microorganisms

500g	for 12.5 litres medium	R453522	
------	------------------------	---------	--

### Heart Infusion Broth

a highly nutritious, liquid medium recommended for the cultivation of fastidious organisms. Also see Brain Heart Infusion Broth, on page 13.

500g	for 13.5 litres medium	CM1032B	
------	------------------------	---------	--

### Hektoen Enteric Agar

a differential selective medium for the isolation of *Shigella* and *Salmonella* spp.

500g	for 6.6 litres medium	CM0419B	
------	-----------------------	---------	--

### ★ Helicobacter pylori Selective Medium

for the selective isolation of *Helicobacter pylori*

Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
Helicobacter pylori Selective Supplement (Dent)			
10 vials	for 500mL medium	SR0147E	

### ★ Hoyle Medium

for the isolation and differentiation of all types of *Corynebacterium diphtheriae*

Hoyle Medium Base			
500g	for 12.5 litres medium	CM0083B	
Potassium Tellurite 3.5%			
10x2mL		SR0030J	

### Iron Sulphite Agar

for the detection of thermophilic anaerobic organisms

500g	for 21.7 litres medium	CM0079B	
------	------------------------	---------	--

Irradiated Tryptone Soya Broth – see Cold Filterable Tryptone Soya Broth

Irradiated Vegetable Peptone Broth – see Cold Filterable Vegetable Peptone Broth

Islam Medium – see Group B Streptococci Medium

## Iso-Sensitest Agar

a semidefined medium designed for antimicrobial susceptibility testing

500g	for 15.9 litres medium	CM0471B	
2.5kg	for 79.5 litres medium	CM0471R	
5kg	for 159.0 litres medium	CM0471T	

## Iso-Sensitest Broth

a semidefined medium designed for antimicrobial susceptibility testing

500g	for 21.4 litres medium	CM0473B	
------	------------------------	---------	--

## Kanamycin Aesculin Azide Agar

a selective medium for the isolation of enterococci in foodstuffs

Kanamycin Aesculin Azide Agar Base			
500g	for 11.7 litres medium	CM0591B	
Kanamycin Sulphate Supplement 10mg/vial			
10 vials	for 500mL medium	SR0092E	

## Karmali Selective Medium

a blood-free, selective medium for the isolation of *Campylobacter jejuni* and *Campylobacter coli* when incubated at 42°C

Campylobacter Agar Base (Karmali)			
500g	for 11.6 litres medium	CM0935B	
Campylobacter Selective Supplement (Karmali)			
10 vials	for 500mL medium	SR0167E	
OR			
Modified Karmali Selective Supplement alternative supplement containing amphotericin B as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0205E	

Kauffmann Medium – see Brilliant Green Agar

## K-F Streptococcus Agar

a selective medium for the isolation and enumeration of Group D streptococci

K-F Streptococcus Agar Base			
500g	for 6.5 litres medium	CM0701B	
TTC Solution (1%)			
10x5mL	for 500mL medium	SR0229K	
OR			
TTC Solution (5%)			
100mL		SR0211C	

## Kligler Iron Agar

a differential medium for the identification of the Enterobacteriaceae

500g	for 9.1 litres medium	CM0033B	
------	-----------------------	---------	--

## Lab-Lemco Agar

nutrient medium equivalent to USA nutrient extract formulations

500g	for 21.7 litres medium	CM0017B	
------	------------------------	---------	--

## Lab-Lemco Broth

nutrient medium equivalent to USA nutrient extract formulations

500g	for 62.5 litres medium	CM0015B	
------	------------------------	---------	--

## Lactic Acid 10%

10x1mL		SR0021H	
10x5mL		SR0021K	

## Lactose Broth

for the presumptive identification of *E. coli* and coliforms

500g	for 38.5 litres medium	CM0137B	
------	------------------------	---------	--

## Lauryl Tryptose Broth (Lauryl Sulphate Broth)

an APHA standard methods medium for the examination of water and waste water

500g	for 14.0 litres medium	CM0451B	
2.5kg	for 70.0 litres medium	CM0451R	

## Lauryl Tryptose Broth with MUG

for the presumptive identification of *E. coli*

100g	for 2.8 litres medium	CM0980A	
500g	for 14.0 litres medium	CM0980B	

## Lauryl Tryptose Broth (Modified) with MUG

for the enumeration of presumptive *E. coli* and other coliforms from water, dairy and food samples; with additional tryptophan

500g	for 13.6 litres medium	CM0967B	
------	------------------------	---------	--

## Legionella BCYE Agar

a growth medium for the isolation of Legionellaceae

Legionella CYE Agar Base			
500g	for 20.0 litres medium	CM0655B	
Legionella BCYE Growth Supplement			
10 vials	for 100mL medium	SR0110A	
10 vials	for 500mL medium	SR0110C	

## Legionella BCYE Agar without L-Cysteine

to be used in conjunction with BCYE medium as a confirmatory test for *Legionella* spp.

Legionella CYE Agar Base			
500g	for 20.0 litres medium	CM0655B	
Legionella BCYE Growth Supplement without L-cysteine			
10 vials	for 100mL medium	SR0175A	

## Legionella BMPA-□ Selective Medium

a semiselective medium for the isolation of *Legionella pneumophila* from clinical and environmental specimens

Legionella CYE Agar Base			
500g	for 20.0 litres medium	CM0655B	
Legionella BMPA-□ Growth Selective Supplement			
10 vials	for 100mL medium	SR0111E	
10 vials	for 500mL medium	SR0111B	
Legionella BCYE Growth Supplement			
10 vials	for 100mL medium	SR0110A	
10 vials	for 500mL medium	SR0110C	

## Legionella GVPC Selective Medium

a selective medium for the isolation of *Legionella* spp. from environmental samples

Legionella CYE Agar Base			
500g	for 20.0 litres medium	CM0655B	
Legionella GVPC Selective Supplement			
10 vials	for 500mL medium	SR0152E	
Legionella BCYE Growth Supplement			
10 vials	for 100mL medium	SR0110A	
10 vials	for 500mL medium	SR0110C	

# 22 Culture Media and Supplements

## Dehydrated Culture Media

### Legionella GVPN Selective Medium

an alternative to GVPC selective medium, containing natamycin as a replacement for cycloheximide, for the selective isolation of *Legionella* spp.

Legionella CYE Agar Base			
500g	for 20.0 litres medium	CM0655B	
Legionella GVPN Selective Supplement			
10 vials	for 500mL medium	SR0215E	
Legionella BCYE Growth Supplement			
10 vials	for 100mL medium	SR0110A	
10 vials	for 500mL medium	SR0110C	

### Legionella MWY Selective Medium

a selective medium for the isolation of *Legionella pneumophila* from potable water samples

Legionella CYE Agar Base			
500g	for 20.0 litres medium	CM0655B	
Legionella MWY Selective Supplement			
10 vials	for 100mL medium	SR0118E	
10 vials	for 500mL medium	SR0118B	
Legionella BCYE Supplement			
10 vials	for 100mL medium	SR0110A	
10 vials	for 500mL medium	SR0110C	

Levine Medium – see Eosin Methylene Blue Agar

### Liquid Yeast Autolysate

a source of nitrogen and vitamins suitable for addition to a range of culture media

10 vials	for 2.0 litres medium	SR0182H	
----------	-----------------------	---------	--

Listeria Chromogenic Agar – see *Brilliance Listeria Agar*

Listeria Chromogenic Agar (ISO) – see *Chromogenic Listeria Agar (ISO)*

Listeria Novel Enrichment Broth – see *ONE Broth-Listeria*

## Listeria Precis Method

a rapid culture method for the enrichment, isolation and identification of *Listeria monocytogenes* and *Listeria* spp. in just 2 days. Validated by AFNOR to ISO 16140 for all food, animal feed and environmental samples; use O.B.I.S. mono (ID0600M) for rapid confirmation.

### ONE Broth-Listeria

for selective enrichment of *Listeria* spp. from food samples in 24 hours

ONE Broth-Listeria Base			
500g	for 11.4 litres medium	CM1066B	
2.5kg	for 57.0 litres medium	CM1066R	
<b>NEW</b> 5kg	for 114 litres medium	CM1066T	
ONE Broth-Listeria Selective Supplement			
10 vials	for 500mL medium	SR0234E	
10 vials	for 2.25 litres medium	SR0234B	
<b>NEW</b> 10 vials	for 2 litres medium	SR0234H	

### Brilliance Listeria Agar

a chromogenic agar for the selective growth and differentiation of *Listeria monocytogenes* and *Listeria* spp.

Brilliance Listeria Agar Base			
500g	for 7.4 litres medium	CM1080B	
<b>NEW</b> 5kg	for 74 litres medium	CM1080T	
Brilliance Listeria Selective Supplement			
10 vials	for 500mL medium	SR0227E	
Brilliance Listeria Differential Supplement			
10 vials	for 500mL medium	SR0228E	

### Listeria Selective Agar (Oxford Formulation)

a selective and diagnostic medium for the detection of *Listeria* spp.

Listeria Selective Agar Base (Oxford)			
500g	for 9.0 litres medium	CM0856B	
2.5kg	for 45.0 litres medium	CM0856R	
Listeria Selective Supplement			
10 vials	for 500mL medium	SR0140E	
10 vials	for 2.5 litres medium	SR0140B	
OR			
Modified Listeria Selective Supplement (Oxford) alternative supplement containing amphotericin B as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0206E	
10 vials	for 2.5 litres medium	SR0206B	

### Listeria Selective Enrichment Medium

this medium complies with the formulation often referred to as the FDA method

Listeria Enrichment Broth			
500g	for 13.9 litres medium	CM0862B	
Listeria Selective Enrichment Supplement			
10 vials	for 500mL medium	SR0141E	
OR			
Modified Listeria Selective Enrichment Supplement alternative supplement containing amphotericin B as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0213E	
OR			
Listeria Selective Enrichment Supplement (Modified) includes cycloheximide; modified with 10mg/litre acriflavine			
10 vials	for 2.25 litres medium	SR0149A	

### Listeria Selective Enrichment Media (UVM Formulations)

a two step, selective enrichment (USDA-FSIS) method

Listeria Enrichment Broth Base (UVM formulation) use with appropriate supplement for UVM I broth or UVM II broth			
500g	for 9.2 litres medium	CM0863B	
Listeria Primary Selective Enrichment Supplement (UVM I)			
10 vials	for 500mL medium	SR0142E	
10 vials	for 2.25 litres medium	SR0142B	
OR			
Listeria Secondary Selective Enrichment Supplement (UVM II)			
10 vials	for 500mL medium	SR0143E	

Listeria Selective Agar PALCAM – see *PALCAM Agar*

### Liver Broth

for the examination of foods for saccharolytic or putrefactive mesophilic and thermophilic anaerobes

500g	for 7.8 litres medium	CM0077B	
------	-----------------------	---------	--

### Lysine Decarboxylase Broth Tablets (Taylor modification)

for the differentiation of the Enterobacteriaceae. Each tablet makes 5mL of medium; store at 2–8°C

100 tabs	for 0.5 litres medium	CM0308S	
----------	-----------------------	---------	--

### Lysine Iron Agar

a diagnostic medium for salmonellae, including *Salmonella arizonae*

500g	for 14.7 litres medium	CM0381B	
------	------------------------	---------	--

### Lysine Medium

for the isolation and enumeration of wild yeasts in pitching yeast

Lysine Medium Base			
500g	for 7.6 litres medium	CM0191B	
Potassium Lactate			
10x1mL		SR0037H	
Lactic Acid 10%			
10x1mL		SR0021H	
10x5mL		SR0021K	

### M17 Agar

for improved growth of lactic streptococci and their bacteriophages, and the selective enumeration of *Streptococcus thermophilus* from yoghurt

500g	for 10.4 litres medium	CM0785B	
------	------------------------	---------	--

### M17 Broth

for improved growth of lactic streptococci and their bacteriophages, and the selective enumeration of *Streptococcus thermophilus* from yoghurt

500g	for 13.4 litres medium	CM0817B	
------	------------------------	---------	--

### MacConkey Agar

a differential medium for the isolation of coliforms and intestinal pathogens in water, dairy products and biological specimens

500g	for 9.6 litres medium	CM0007B	
2.5kg	for 48.0 litres medium	CM0007R	

### MacConkey Agar (EP/USP/JP/BP)

a solid medium recommended for use in qualitative procedures for selection and differential isolation of Gram-negative bacilli

500g	for 10.0 litres medium	R453802	
------	------------------------	---------	--

### MacConkey Agar (without salt)

a differential medium for urine examination on which swarming of *Proteus* spp. is suppressed

500g	for 10.6 litres medium	CM0507B	
2.5kg	for 53.2 litres medium	CM0507R	

### MacConkey Agar No. 2

a modification of MacConkey Agar No. 3 containing Bile Salts No. 2 for the recognition of enterococci

500g	for 9.7 litres medium	CM0109B	
------	-----------------------	---------	--

### MacConkey Agar No. 3

a selective medium giving excellent differentiation between lactose and non-lactose fermenters with the inhibition of Gram-positive cocci

500g	for 9.7 litres medium	CM0115B	
5kg	for 97.0 litres medium	CM0115T	

### MacConkey Broth

a differential medium containing neutral red for the detection of coliform organisms in water and milk

500g	for 12.5 litres medium	CM0005B	
------	------------------------	---------	--

### MacConkey Broth (EP/USP/JP/BP)

a liquid medium recommended for use in qualitative procedures for selective isolation and presumptive identification of Enterobacteriaceae

500g	for 14.2 litres medium	R453822	
------	------------------------	---------	--

### MacConkey Broth Purple (US Formulation)

a differential medium containing bromocresol purple for the detection of coliforms

500g	for 12.5 litres medium	CM0505B	
------	------------------------	---------	--

### Malt Extract Agar

for the detection, isolation and enumeration of yeasts and moulds

500g	for 10.0 litres medium	CM0059B	
------	------------------------	---------	--

### Malt Extract Broth

for the cultivation of moulds and yeasts

500g	for 25.0 litres medium	CM0057B	
------	------------------------	---------	--

Mannitol Egg Yolk Polymyxin Agar – see MYP Agar

### Mannitol Salt Agar (Chapman Medium)

for the isolation of pathogenic staphylococci

500g	for 4.5 litres medium	CM0085B	
5kg	for 45.0 litres medium	CM0085T	

### Mannitol Salt Agar (EP/USP/JP/BP)

a solid medium recommended for use in qualitative procedures for selective and differential isolation of staphylococci

500g	for 4.5 litres medium	R453902	
------	-----------------------	---------	--

### Mannitol Selenite Broth

a modification of Selenite F Broth for the selective enrichment of salmonellae

Mannitol Selenite Broth Base			
500g	for 26.3 litres medium	CM0399B	
Sodium Biselenite			
100g	for 25.0 litres medium	LP0121A	

### Maximum Recovery Diluent (MRD)

a protective isotonic diluent

500g	for 52.6 litres medium	CM0733B	
2.5kg	for 263.0 litres medium	CM0733R	
5kg	for 526.0 litres medium	CM0733T	

### Membrane Clostridium perfringens Medium (m-CP)

a chromogenic medium for rapid isolation and presumptive identification of *Clostridium perfringens* from water samples

Membrane Clostridium perfringens (m-CP) Agar Base			
500g	for 7.0 litres medium	CM0992B	
Membrane Clostridium perfringens (m-CP) Selective Supplement			
10 vials	for 500mL medium	SR0188E	

### Membrane Endo Agar LES

an APHA recommended medium for the confirmation of coliforms

Membrane Endo Agar LES			
500g	for 11.1 litres medium	MM0551B	
Basic Fuchsin Indicator			
10g		BR0050A	

### Membrane Lactose Glucuronide Agar (MLGA)

a selective chromogenic medium for differentiation of *E. coli* and other coliforms

100g	for 1.1 litres medium	CM1031A	
500g	for 5.7 litres medium	CM1031B	

# 24 Culture Media and Supplements

## Dehydrated Culture Media

### Membrane Lauryl Sulphate Broth

a direct replacement for Membrane Enriched Teepol Broth requiring no supplementation

500g	for 6.6 litres medium	MM0615B	
------	-----------------------	---------	--

### Meropenem Supplement

10 vials	1mg/vial	SR0184E	
----------	----------	---------	--

### Milk Agar

plate count agar for use in the dairy industry

500g	for 20.8 litres medium	CM0021B	
2.5kg	for 104.0 litres medium	CM0021R	

### Milk Plate Count Agar

with antibiotic free skimmed milk

500g	for 25.6 litres medium	CM0681B	
2.5kg	for 128.0 litres medium	CM0681R	

### Minerals Modified Glutamate Medium

for the enumeration of the coliform group in water (supplied as a twin pack)

Minerals Modified Glutamate Medium Base plus Sodium Glutamate			
500g plus 300g	for 22.0 litres medium	CM0607G	

MKTT-n – see Muller-Kauffmann Tetrathionate Novobiocin Broth

### MLCB Agar

for the selective isolation of salmonellae (not *Salmonella* Typhi or *Salmonella* Paratyphi A)

500g	for 10.2 litres medium	CM0783B	
------	------------------------	---------	--

MLGA – see Membrane Lactose Glucuronide Agar

MLSB – see Membrane Lauryl Sulphate Broth

Modified Brilliant Green Agar – see Brilliant Green Agar (Modified)

### Modified Lauryl Sulphate Tryptose Vancomycin Broth

for selective enrichment of *Cronobacter* (formerly *E. sakazakii*) from milk and milk products, with formulation that complies with ISO/TS 22964:2006

Modified Lauryl Sulphate Tryptose Broth Base (mLST)			
500g	for 7.74 litres medium	CM1133B	
Vancomycin Supplement (5mg)			
10 vials	for 500mL medium	SR0247E	

Modified Lauryl Tryptose Broth with MUG – see Lauryl Tryptose Broth (Modified) with MUG

Modified New York City Media – see New York City Media

### Modified Semi-solid Rappaport Vassiliadis (MSRV) Medium

for detection of motile *Salmonella* spp. from food and environmental samples

MSRV Medium Base N.B. maximum shelf life of 12 months			
500g	for 15.8 litres medium	CM0910B	
MSRV Selective Supplement			
10 vials	for 500mL medium	SR0161E	

### Modified Semi-solid Rappaport Vassiliadis (MSRV) Medium (ISO)

a semisolid medium for the detection of *Salmonella* spp. from food and environmental samples, with formulation conforming to that recommended in ISO 6579 Annex D

MSRV (ISO) Medium Base N.B. maximum shelf life of 12 months			
500g	for 15.8 litres medium	CM1112B	
MSRV Selective Supplement			
10 vials	for 500mL medium	SR0161E	

Modified Tryptone Soya Broth – see Tryptone Soya Broth (Modified)

Modified Wadowsky Yee Medium – see Legionella MWY Selective Medium

MRD – see Maximum Recovery Diluent

### MRS Agar (De Man, Rogosa, Sharpe)

for the growth of lactobacilli

500g	for 8.1 litres medium	CM0361B	
------	-----------------------	---------	--

### NEW MRS (De Man, Rogosa, Sharpe) (ISO) Agar

for the growth of lactobacilli. Complies with ISO 15214:1998

500g	for 7.5 litres medium	CM1153B	
2.5kg	for 37.5 litres medium	CM1153R	

### MRS Broth (De Man, Rogosa, Sharpe)

for the growth of lactobacilli

500g	for 9.6 litres medium	CM0359B	
------	-----------------------	---------	--

### MRVP Medium (Clarks and Lubs Medium)

a glucose-phosphate medium for the differentiation of the coli-aerogenes group by the Methyl Red and Voges-Proskauer tests

500g	for 29.4 litres medium	CM0043B	
------	------------------------	---------	--

MSRV – see Modified Semi-solid Rappaport Vassiliadis Medium

MSRV (ISO) – see Modified Semi-solid Rappaport Vassiliadis Medium (ISO)

m-TSB – see Tryptone Soya Broth (Modified)

### Mueller-Hinton Agar

conforming to the M6-A2 CLSI international standard for antimicrobial susceptibility testing media

500g	for 13.2 litres medium	CM0337B	
2.5kg	for 66.0 litres medium	CM0337R	
5kg	for 132.0 litres medium	CM0337T	

### Mueller-Hinton Broth

conforming to international standards for antimicrobial susceptibility testing media

500g	for 23.8 litres medium	CM0405B	
------	------------------------	---------	--

### Muller-Kauffmann Tetrathionate Broth Base

a selective enrichment medium for the isolation of *Salmonella* and the suppression of *Proteus* spp.

500g	for 6.1 litres medium	CM0343B	
2.5kg	for 30.5 litres medium	CM0343R	

### Muller-Kauffmann Tetrathionate Novobiocin Broth (MKTn)

a selective enrichment broth for the isolation of *Salmonella* from food samples; complies with ISO 6579:2002

MKTn Broth Base			
500g	for 5.8 litres medium	CM1048B	
Novobiocin Supplement			
10 vials	for 250mL medium	SR0181E	

### MUG Supplement

4-methylumbeliferyl-β-D-glucuronide; a fluorogenic substrate for the detection of *Escherichia coli*

10 vials	50mg/vial	BR0071E	
----------	-----------	---------	--

### Mycoplasma Agar

for the selective isolation of *Mycoplasma* spp.

Mycoplasma Agar Base			
500g	for 14.1 litres medium	CM0401B	
Mycoplasma Supplement G			
10 vials	for 80mL medium	SR0059C	

### Mycoplasma Broth

for the selective isolation of *Mycoplasma* spp.

Mycoplasma Broth Base			
500g	for 19.6 litres medium	CM0403B	
Mycoplasma Supplement G			
10 vials	for 80mL medium	SR0059C	

### Mycoplasma pneumoniae Bi-phasic Medium

for the selective isolation of *Mycoplasma pneumoniae*

Mycoplasma Agar Base			
500g	for 14.1 litres medium	CM0401B	
Mycoplasma Supplement P each vial reconstitutes to 20mL and produces 10 quantities of bi-phasic medium			
10 vials	for 10 overlays each	SR0060C	

### MYP Agar

a medium for the enumeration of *Bacillus cereus* in food samples

MYP Agar Base			
500g	for 11.6 litres medium	CM0929B	
Polymyxin B Supplement			
10 vials	for 500mL medium	SR0099E	
Egg Yolk Emulsion			
100mL		SR0047C	

### Neomycin Supplement

allows the growth of clostridia and other anaerobes

10 vials	150mg/vial	SR0163H	
----------	------------	---------	--

### ★ New York City Media

for the isolation of *Neisseria gonorrhoeae*. Different combinations of growth and selective supplements give media with alternative growth and inhibitory properties; visit [www.thermoscientific.com/oxoid](http://www.thermoscientific.com/oxoid).

GC Agar Base			
500g	for 13.9 litres medium	CM0367B	
Yeast Autolysate Supplement			
10 vials	for 500mL medium	SR0105B	
Liquid Yeast Autolysate			
10 vials	for 2.0 litres medium	SR0182H	
Laked Horse Blood			
100mL		SR0048C	
LCAT Selective Supplement			
10 vials	for 500mL medium	SR0095B	
10 vials	for 2.0 litres medium	SR0095H	
VCAT Selective Supplement			
10 vials	for 500mL medium	SR0104B	
10 vials	for 2.0 litres medium	SR0104H	

Nickerson Medium – see BiGGY Agar

### Nitrocefin

for the detection of β-lactamase activity

Nitrocefin with Rehydration Fluid			
2x5 vials	1mg/vial pair	SR0112C	

### Novobiocin Supplement

can be used to increase the selectivity of some *Salmonella* and *E. coli* 0157 media

10 vials	10mg/vial	SR0181E	
----------	-----------	---------	--

Novel Enrichment Broth-Listeria – see ONE Broth-Listeria

### N-S Anaerobe Selective Supplement

for the selective isolation of nonsporng anaerobes

10 vials	for 500mL medium	SR0107B	
----------	------------------	---------	--

### Nutrient Agar

500g	for 17.9 litres medium	CM0003B	
------	------------------------	---------	--

### Nutrient Agar Tablets

each tablet makes 5mL of medium

100 tabs	for 500mL medium	CM0004C	
500 tabs	for 2.5 litres medium	CM0004D	

### Nutrient Broth

500g	for 38.5 litres medium	CM0001B	
------	------------------------	---------	--

### Nutrient Broth No. 2

500g	for 20.0 litres medium	CM0067B	
------	------------------------	---------	--

### Nutrient Gelatin

for the differentiation of microorganisms by their proteolytic effects

500g	for 3.9 litres medium	CM0635B	
------	-----------------------	---------	--

## Dehydrated Culture Media

### OGYE Selective Supplement

Oxytetracycline 0.05g/vial			
10 vials	for 500mL medium	SR0073A	

OGYE Medium – see [Oxytetracycline Glucose Yeast Extract Medium](#)

### ONE Broth-Listeria

for selective enrichment of *Listeria* spp. from food and environmental samples in 24 hours. This medium is the selective enrichment broth used in **Oxoid Listeria Precis**

ONE Broth-Listeria Base			
500g	for 11.4 litres medium	CM1066B	
2.5kg	for 57.0 litres medium	CM1066R	
<b>NEW</b> 5kg	for 114 litres medium	CM1066T	
ONE Broth-Listeria Selective Supplement			
10 vials	for 500mL medium	SR0234E	
<b>NEW</b> 10 vials	for 2 litres medium	SR0234H	
10 vials	for 2.25 litres medium	SR0234B	

### ONE Broth-Salmonella

for selective enrichment of *Salmonella* spp. from food samples in 18 hours when used in **Oxoid Salmonella Precis**; not recommended for enrichment in other methods

ONE Broth-Salmonella Base			
500g	for 20.0 litres medium	CM1091B	
<b>NEW</b> 5kg	for 200 litres medium	CM1091T	
ONE Broth-Salmonella Selective Supplement			
10 vials	for 225mL medium	SR0242E	
10 vials	for 2.25 litres medium	SR0242B	

### OPSP Agar

for the enumeration of *Clostridium perfringens* in foods

Perfringens Agar Base (OPSP)			
500g	for 11.0 litres medium	CM0543B	
2.5kg	for 55.0 litres medium	CM0543R	
Perfringens (OPSP) Supplement A			
10 vials	for 500mL medium	SR0076E	
Perfringens (OPSP) Supplement B			
10 vials	for 500mL medium	SR0077E	

### Orange Serum Agar

for the isolation and enumeration of spoilage organisms in citrus products

500g	for 13.5 litres medium	CM0657B	
------	------------------------	---------	--

ORSAB – see [Oxacillin Resistance Screening Agar \(ORSA\)](#)

### OSCM

a selective chromogenic medium for the presumptive identification of *Salmonella* spp. from clinical and food samples

Salmonella Chromogenic Agar Base			
500g	for 10.0 litres medium	CM1007B	
Salmonella Selective Supplement			
10 vials	for 500mL medium	SR0194E	

### Oxacillin Resistance Screening Agar (ORSA)

a medium for screening clinical samples for the presence of oxacillin-resistant staphylococci

Oxacillin Resistance Screening Agar Base			
500g	for 4.8 litres medium	CM1008B	
ORSAB Selective Supplement			
10 vials	for 500mL medium	SR0195E	

Oxford Listeria Agar – see [Listeria Selective Agar \(Oxford\)](#)

Oxoid Listeria Rapid Culture Method – see [Listeria Rapid Culture Method](#)

Oxoid Salmonella Rapid Culture Method – see [Salmonella Rapid Culture Method](#)

### Oxytetracycline Glucose Yeast Extract Selective Medium (OGYE)

a medium for the selective enumeration of yeasts and moulds

Oxytetracycline Glucose Yeast Extract Agar Base			
500g	for 13.5 litres medium	CM0545B	
2.5kg	for 67.5 litres medium	CM0545R	
OGYE Selective Supplement			
10 vials	for 500mL medium	SR0073A	

### PALCAM Agar

a selective and diagnostic medium for the detection of *Listeria* spp.

PALCAM Agar Base			
500g	for 7.2 litres medium	CM0877B	
2.5kg	for 36.0 litres medium	CM0877R	
PALCAM Selective Supplement			
10 vials	for 500mL medium	SR0150E	
10 vials	for 2.5 litres medium	SR0150B	

Peptone Salt Broth – see [Maximum Recovery Diluent](#)

Peptone Water (Alkaline) – see [Alkaline Peptone Water](#)

### Peptone Water (Andrade)

a nutrient base containing Andrade's indicator to which carbohydrates and other diagnostic reagents may be added for use in fermentation studies

500g	for 33.3 litres medium	CM0061B	
------	------------------------	---------	--

### Peptone Water

a basal medium to which carbohydrates and an indicator may be added for fermentation studies

500g	for 33.3 litres medium	CM0009B	
------	------------------------	---------	--

PEMBA – see [Bacillus cereus Selective Agar](#)

Perfringens (OPSP) Agar – see [OPSP Agar](#)

Perfringens TSC Agar – see [Tryptose Sulphite Cycloserine Agar](#)

Perfringens SFP Agar – see [Shahadi Ferguson Agar](#)

Phosphatidylinositol Supplement – see [Chromogenic Listeria Differential Supplement \(ISO\)](#)

### Plate Count Agar

500g	for 28.6 litres medium	CM0325B	
2.5kg	for 143.0 litres medium	CM0325R	

Plate Count Agar APHA – see [Standard Plate Count Agar](#)

Plate Count Agar with antibiotic free skimmed milk – see [Milk Plate Count Agar](#)

Plate Count Agar (Water) – see [Water Plate Count Agar](#)

### Polymyxin B Supplement

10 vials	50,000 IU/vial	SR0099E	
----------	----------------	---------	--



## Post-Pasteurisation Contamination Test (PPCT) Agar

Milk Agar			
500g	for 20.8 litres medium	CM0021B	
Post-Pasteurisation Contamination Test (PPCT) Selective Supplement			
10 vials	for 200mL medium	SR0159E	

## Potato Dextrose Agar

acid pH medium for the isolation of dermatophytes and other moulds and yeasts. Also, used during the preparation of *Aspergillus niger* for use in the Harmonized Microbial Limits Tests, according to EP/USP/JP.

500g	for 12.8 litres medium	CM0139B	
------	------------------------	---------	--

## ★ Preston Selective Agar

for the isolation of *Campylobacter jejuni* and *Campylobacter coli* from human, animal, avian and environmental specimens, this medium can be supplemented with Campylobacter Growth Supplement

Campylobacter Agar Base			
500g	for 13.5 litres medium	CM0689B	
Preston Campylobacter Selective Supplement			
10 vials	for 500mL medium	SR0117E	
OR			
Modified Preston Campylobacter Selective Supplement alternative supplement containing amphotericin B as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0204E	
Campylobacter Growth Supplement			
10 vials	for 500mL medium	SR0232E	

## Preston Selective Broth

for the recovery of *Campylobacter jejuni* and *Campylobacter coli*, this medium can be supplemented with Campylobacter Growth Supplement

Nutrient Broth No. 2			
500g	for 20.0 litres medium	CM0067B	
Preston Campylobacter Selective Supplement			
10 vials	for 500mL medium	SR0117E	
OR			
Modified Preston Campylobacter Selective Supplement alternative supplement containing amphotericin B as a replacement for cycloheximide			
10 vials	for 500mL medium	SR0204E	
Campylobacter Growth Supplement			
10 vials	for 500mL medium	SR0232E	

## Pseudomonas CFC Agar

a selective medium for the isolation of *Pseudomonas* spp.

Pseudomonas Agar Base			
500g	for 10.3 litres medium	CM0559B	
2.5kg	for 51.5 litres medium	CM0559R	
Pseudomonas CFC Supplement			
10 vials	for 500mL medium	SR0103E	

## Pseudomonas CN Agar

a selective medium for the isolation of *Pseudomonas aeruginosa*

Pseudomonas Agar Base			
500g	for 10.3 litres medium	CM0559B	
2.5kg	for 51.5 litres medium	CM0559R	
Pseudomonas CN Supplement			
10 vials	for 500mL medium	SR0102E	

*Pseudomonas cepacia* Medium – see *Burkholderia cepacia* Medium

## Pseudomonas Cetrimide Agar Base

a medium for the selective isolation and identification of *Pseudomonas aeruginosa* from a range of samples. This formulation is recommended in USP, EP, and AOAC methods.

500g	for 11.0 litres medium	CM0579B	
------	------------------------	---------	--

## R2A Agar

a medium for the enumeration of heterotrophic bacteria from water samples

500g	for 27.6 litres medium	CM0906B	
------	------------------------	---------	--

## Raka-Ray Medium

a medium for the isolation of lactic acid bacteria in beer and brewing processes. Requires supplementation with phenylethanol, sorbitan mono-oleate and cycloheximide.

Raka-Ray Agar Base			
500g	for 6.5 litres medium	CM0777B	

## Rappaport-Vassiliadis (RV) Enrichment Broth

a selective enrichment broth for the isolation of salmonellae. **N.B.** maximum shelf life of 12 months

500g	for 16.7 litres medium	CM0669B	
------	------------------------	---------	--

Rappaport Vassiliadis Soya Enrichment Broth MLT (EP/USP/JP/BP) - see RVS Enrichment Broth MLT (EP/USP/JP/BP)

## Rappaport-Vassiliadis Soya (RVS) Peptone Broth

a buffered, selective enrichment broth for the isolation of salmonellae. **N.B.** maximum shelf life of 12 months

500g	for 18.7 litres medium	CM0866B	
------	------------------------	---------	--

## Reinforced Clostridial Agar

for the cultivation and enumeration of clostridia and other anaerobes

500g	for 9.5 litres medium	CM0151B	
------	-----------------------	---------	--

## Reinforced Clostridial Medium MLT (EP/USP/JP/BP)

a medium intended for use in qualitative procedures for cultivation of clostridia and other anaerobic organisms

500g	for 13.1 litres medium	R455402	
------	------------------------	---------	--

## Reinforced Clostridial Medium (RCM)

use this semisolid medium for the enumeration of clostridia and other anaerobes

500g	for 13.2 litres medium	CM0149B	
------	------------------------	---------	--

## Rogosa Agar

for the selective isolation and enumeration of lactobacilli

500g	for 6.1 litres medium	CM0627B	
------	-----------------------	---------	--

Rothe Broth – see Azide Dextrose Broth

## Rose-Bengal Chloramphenicol Selective Medium

a medium for the selective enumeration of moulds and yeasts from food

Rose-Bengal Chloramphenicol Agar Base			
500g	for 15.6 litres medium	CM0549B	
2.5kg	for 78.0 litres medium	CM0549R	
Chloramphenicol Supplement			
10 vials	for 500mL medium	SR0078E	
10 vials	for 2.0 litres medium	SR0078H	

RPF – see Baird Parker RPF

RV – see Rappaport-Vassiliadis Enrichment Broth

RVS – see Rappaport-Vassiliadis Soya Peptone Broth ★ requires the addition of blood

# 28 Culture Media and Supplements

## Dehydrated Culture Media

### RVS Enrichment Broth MLT (EP/USP/JP/BP)

a liquid medium recommended for use in qualitative procedures for selective enrichment and isolation of *Salmonella* spp.

500g	for 18.4 litres medium	R45432	
------	------------------------	--------	--

Ryan's Agar – see *Aeromonas* Medium

### Sabouraud Dextrose Agar

acid pH medium for the isolation of dermatophytes and other moulds and yeasts. This can be made selective using chloramphenicol.

500g	for 7.7 litres medium	CM0041B	
2.5kg	for 38.5 litres medium	CM0041R	
5kg	for 77.0 litres medium	CM0041T	

### Sabouraud Dextrose Agar pH 5.6

a solid medium recommended for use in qualitative and quantitative procedures for yeasts and fungi

500g	for 7.7 litres medium	R454462	
------	-----------------------	---------	--

### Sabouraud Dextrose Liquid Medium (Sabouraud Dextrose Broth) EP/USP/JP

a liquid medium recommended for testing sterile and nonsterile products and for the determination of fungistatic activity in pharmaceutical products

500g	for 16.7 litres medium	CM0147B	
------	------------------------	---------	--

### Sabouraud Maltose Agar

for use where maltose is the preferred carbohydrate source, it may be made selective by the addition of chloramphenicol

500g	for 7.7 litres medium	CM0541B	
------	-----------------------	---------	--

*Salmonella* Chromogenic Medium - see OSCM

*Salmonella* Chromogenic Medium II - see *Brilliance Salmonella Agar*

*Salmonella* Novel Enrichment Broth – see ONE Broth-*Salmonella*

## Salmonella Precis Method

a rapid culture method for the enrichment, isolation and identification of *Salmonella* spp. in just 2 days. Validated by AFNOR to ISO 16140 for all food, animal feed and environmental samples; use Oxoid *Salmonella* Latex (FT0203A) for rapid confirmation.

### ONE Broth-*Salmonella*

an 18 hour selective enrichment broth for *Salmonella* spp., only for use with the *Salmonella* Precis Method

ONE Broth- <i>Salmonella</i> Base			
500g	for 20.0 litres medium	CM1091B	
<b>NEW</b> 5kg	for 200 litres medium	CM1091T	
ONE Broth- <i>Salmonella</i> Selective Supplement			
10 vials	for 225mL medium	SR0242E	
10 vials	for 2.25 litres medium	SR0242B	

### *Brilliance Salmonella Agar*

a novel chromogenic medium incorporating Inhibigen technology, for the presumptive identification of *Salmonella* spp. from food and clinical samples

<i>Brilliance Salmonella Agar</i> Base			
500g	for 9.3 litres medium	CM1092B	
<b>NEW</b> 5kg	for 93 litres medium	CM1092T	
<i>Salmonella</i> Selective Supplement			
10 vials	for 500mL medium	SR0194E	

*Salmonella*/*Shigella* Agar – see SS Agar

*Salmonella*/*Shigella* Modified – see SS Agar Modified

### Salt Meat Broth Tablets

an enrichment medium for the isolation of staphylococci from grossly contaminated specimens

100 tabs	each tab for 5mL	CM0094C	
----------	------------------	---------	--

### Schaedler Anaerobe Agar

a thioglycollate-free medium for the growth of aerobic and anaerobic organisms

500g	for 12.5 litres medium	CM0437B	
------	------------------------	---------	--

### Schaedler Anaerobe Broth

a thioglycollate-free broth for the general growth of anaerobes, for use in blood culture and antibiotic MIC studies

500g	for 18.9 litres medium	CM0497B	
------	------------------------	---------	--

Schiemann's CIN Agar – see *Yersinia* Selective (CIN) Agar

### Selenite Broth (10mL)

a ready-to-use broth for the isolation of salmonellae from faeces and food products

24x10mL		LR0039A	
---------	--	---------	--

Selenite Broth with Mannitol – see Mannitol Selenite Broth

### Selenite Cystine Broth

a selective enrichment medium for the isolation of specimens undergoing examination for salmonellae

Selenite Cystine Broth Base			
500g	for 26.3 litres medium	CM0699B	
Sodium Biselenite			
100g	for 25.0 litres medium	LP0121A	

### Selenite F Broth

for the selective enrichment of salmonellae from faeces and food products

Selenite Broth Base (Lactose)			
500g	for 26.3 litres medium	CM0395B	
Sodium Biselenite			
100g	for 25.0 litres medium	LP0121A	

### Sensitest Agar

for antimicrobial susceptibility testing

500g	for 15.6 litres medium	CM0409B	
2.5kg	for 78.0 litres medium	CM0409R	

### Shahadi Ferguson Agar

a selective medium for the presumptive identification and enumeration of *Clostridium perfringens*

Perfringens Agar Base (TSC/SFP)			
500g	for 10.9 litres medium	CM0587B	
Perfringens (SFP) Supplement			
10 vials	for 500mL medium	SR0093E	
Egg Yolk Emulsion			
100mL		SR0047C	

## \* Sheep Blood Agar Base

formulated to give improved haemolytic reactions with sheep blood

500g	for 12.5 litres medium	CM0854B	
------	------------------------	---------	--

## SIM Medium

a motility-indole medium for the differentiation of the Enterobacteriaceae

500g	for 16.7 litres medium	CM0435B	
------	------------------------	---------	--

## Simmons Citrate Agar

for the differentiation of the Enterobacteriaceae

500g	for 21.7 litres medium	CM0155B	
------	------------------------	---------	--

## \* Skirrow Selective Medium

a selective medium for the isolation of *Campylobacter* spp. at 42°C, this medium can be used with the Campylobacter Growth Supplement

Campylobacter Selective Supplement (Skirrow)			
10 vials	for 500mL medium	SR0069E	
10 vials	for 2.0 litres medium	SR0069H	
Blood Agar Base No. 2			
500g	for 12.5 litres medium	CM0271B	
OR			
Columbia Blood Agar Base			
500g	for 12.8 litres medium	CM0331B	
Campylobacter Growth Supplement			
10 vials	for 500mL medium	SR0232E	

## Slanetz and Bartley Medium (Enterococcus Agar)

for the detection and enumeration of faecal enterococci

500g	for 11.9 litres medium	CM0377B	
------	------------------------	---------	--

## Sorbitol MacConkey Agar

a selective differential medium for detection of *E. coli* O157. This medium can be made more selective by the addition of C-T Supplement – see Cefixime Tellurite Sorbitol MacConkey Agar

500g	for 9.7 litres medium	CM0813B	
2.5kg	for 48.5 litres medium	CM0813R	

## Sorbitol MacConkey Agar with BCIG

selective and differential medium for the detection of *Escherichia coli* O157, incorporating BCIG which can be used with C-T Supplement

500g	for 9.7 litres medium	CM0981B	
C-T Supplement store below 0°C			
10 vials	for 500mL medium	SR0172E	
10 vials	for 2.0 litres medium	SR0172H	
10 vials	for 9.0 litres medium	SR0172N	

Sorbitol MacConkey Agar with Cefixime and Rhamnose – see Cefixime Rhamnose Sorbitol MacConkey Agar

Soybean Casein Digest Agar – see Tryptone Soya Agar

Soybean Casein Digest Medium – see Tryptone Soya Broth

## SS Agar

for the isolation of salmonellae and shigellae

500g	for 7.9 litres medium	CM0099B	
------	-----------------------	---------	--

## SS Agar Modified

for the isolation of salmonellae and shigellae

500g	for 8.8 litres medium	CM0533B	
------	-----------------------	---------	--

## STAA Agar

medium for the isolation of *Brochothrix thermosphacta* from food samples

STAA Agar Base			
500g	for 13.5 litres medium	CM0881B	
STAA Selective Supplement with actidione			
10 vials	for 500mL medium	SR0151E	

## STA Agar

medium for the isolation of *Brochothrix thermosphacta* from food samples

STAA Agar Base			
500g	for 13.5 litres medium	CM0881B	
STA Selective Supplement without actidione			
10 vials	for 500mL medium	SR0162E	

## Standard Plate Count Agar APHA

a standard medium complying with the APHA formulation for use in testing milk, water, food and dairy products

500g	for 21.3 litres medium	CM0463B	
------	------------------------	---------	--

## Staphylococcus Medium No. 110

a selective medium for the isolation and differentiation of pathogenic staphylococci

500g	for 3.3 litres medium	CM0145B	
------	-----------------------	---------	--

Staph/Strep Selective Medium - see CNA Staph/Strep Selective Agar

Streptococcus Selective Agar - see COBA Selective Medium

## Stuart Transport (Modified) Medium

a semisolid, non-nutritional transport medium

500g	for 31.3 litres medium	CM0111B	
------	------------------------	---------	--

## TBX Agar

Tryptone Bile Agar with X-Glucuronide, a chromogenic medium for the detection of *E. coli*

100g	for 2.7 litres medium	CM0945A	
500g	for 13.7 litres medium	CM0945B	
2.5kg	for 68.5 litres medium	CM0945R	

TCBS Cholera Medium – see Cholera Medium TCBS

# 30 Culture Media and Supplements

## Dehydrated Culture Media

### Tergitol-7 Agar

for the enumeration and identification of coliform bacteria

Tergitol-7 Agar Base			
500g	for 9.2 litres medium	CM0793B	
TTC Solution (0.125%)			
10x2mL	for 100mL medium	SR0148A	
TTC Solution (5%)			
100mL		SR0211C	

### Tetrathionate Broth Base

for the selective enrichment of salmonellae

500g	for 6.5 litres medium	CM0029B	
------	-----------------------	---------	--

### Tetrathionate Broth Base (USA)

an American formulation for the selective enrichment of specimens undergoing examination for salmonellae

500g	for 10.9 litres medium	CM0671B	
------	------------------------	---------	--

Tetrathionate (Muller-Kauffmann) – see Muller-Kauffmann Tetrathionate Broth Base

### ★ Thayer Martin Media

for the isolation of *Neisseria gonorrhoeae*. Different combinations of growth and selective supplements give media with alternative growth and inhibitory properties; visit [www.thermoscientific.com/oxid](http://www.thermoscientific.com/oxid).

GC Agar Base			
500g	for 13.9 litres medium	CM0367B	
Haemoglobin Powder Soluble			
500g	for 50.0 litres medium	LP0053B	
Vitox plus diluent			
2x5 vials	for 500mL medium	SR0090A	
2x5 vials	for 2.0 litres medium	SR0090H	
VCN Selective Supplement			
10 vials	for 500mL medium	SR0101E	
VCNT Selective Supplement			
10 vials	for 500mL medium	SR0091E	
10 vials	for 2.0 litres medium	SR0091H	

### Thioglycollate Broth, alternative

a non-viscous thioglycollate medium for the culture of turbid biological products

500g	for 17.2 litres medium	CM0391B	
------	------------------------	---------	--

### Thioglycollate Medium

500g	for 16.9 litres medium	CM0173B	
5kg	for 169.0 litres medium	CM0173T	

### Thioglycollate Medium (Brewer)

500g	for 25.0 litres medium	CM0023B	
------	------------------------	---------	--

### Tinsdale Medium

a medium for the isolation and identification of *Corynebacterium diphtheria*

Tinsdale Agar Base			
500g	for 11.1 litres medium	CM0487B	
Tinsdale Supplement			
10 vials	for 200mL medium	SR0065A	

★ requires the addition of blood

### Todd-Hewitt Broth

for the cultivation of streptococci prior to serological grouping

500g	for 13.7 litres medium	CM0189B	
------	------------------------	---------	--

### Tomato Juice Agar

for the cultivation of lactobacilli

500g	for 9.6 litres medium	CM0113B	
------	-----------------------	---------	--

### Tributyryn Agar

100mL		PM0004C	
-------	--	---------	--

### Trichomonas Medium

a medium for the cultivation of *Trichomonas vaginalis*

Trichomonas Medium Base			
500g	for 13.3 litres medium	CM0161B	
Horse Serum			
100mL		SR0035C	

### Trichomonas Medium No. 2

a ready-to-use medium for the cultivation of *Trichomonas vaginalis*

24x5mL		LR0027A	
--------	--	---------	--

### Triple Sugar Iron Agar

a composite medium for the differentiation of the Enterobacteriaceae

500g	for 7.7 litres medium	CM0277B	
------	-----------------------	---------	--

### Tryptone Bile Agar

for the detection and enumeration of *E. coli* biotype 1 in foods

500g	for 13.7 litres medium	CM0595B	
------	------------------------	---------	--

Tryptone Bile X-Glucuronide Medium – see TBX Agar

### Tryptone Glucose Extract Agar

a USA standard methods medium for the examination of dairy products

500g	for 20.8 litres medium	CM0127B	
------	------------------------	---------	--

### Tryptone Soya Agar (Soybean Casein Digest Agar)

a general purpose medium for the growth of a wide variety of organisms; complies with formula specified in EP/USP/JP/BP

500g	for 12.5 litres medium	CM0131B	
2.5kg	for 62.5 litres medium	CM0131R	
5kg	for 125.0 litres medium	CM0131T	

### Tryptone Soya Broth (Soybean Casein Digest Medium)

recommended for general laboratory use and sterility testing; complies with formula specified in EP/USP/JP/BP

500g	for 16.7 litres medium	CM0129B	
2.5kg	for 83.3 litres medium	CM0129R	
5kg	for 167.0 litres medium	CM0129T	

Tryptone Soya Broth (Cold Filterable) – see Cold Filterable Tryptone Soya Broth

**Tryptone Soya Broth Modified (mTSB)**

a broth for *E. coli* O157, the selectivity of which can be increased by using supplements as appropriate

Modified Tryptone Soya Broth (mTSB) Base			
500g	for 15.2 litres medium	CM0989B	
Novobiocin Supplement			
10 vials	for 500mL medium	SR0181E	

TSC Agar – see Tryptose Sulphite Cycloserine Agar

**Tryptone Water**

for the detection of indole production

500g	for 33.3 litres medium	CM0087B	
------	------------------------	---------	--

**★ Tryptose Blood Agar Base**

a nutritious medium specially formulated for use as a blood agar for the growth of fastidious organisms

500g	for 16.7 litres medium	CM0233B	
------	------------------------	---------	--

**Tryptose Phosphate Broth**

for the cultivation of fastidious bacteria and as an adjuvant to tissue culture media

500g	for 16.9 litres medium	CM0283B	
5kg	for 169.0 litres medium	CM0283T	

**Tryptose Sulphite Cycloserine (TSC) Agar**

a selective medium for the presumptive identification and enumeration of *Clostridium perfringens*

Perfringens Agar Base (TSC/SFP)			
500g	for 10.9 litres medium	CM0587B	
Perfringens (TSC) Supplement			
10 vials	for 500mL medium	SR0088E	
Egg Yolk Emulsion			
100mL		SR0047C	

**Universal Beer Agar**

for the isolation of beer spoilage organisms; can be supplemented with cycloheximide

Universal Beer Agar			
500g	for 8.1 litres medium	CM0651B	
Cycloheximide 0.1% Solution			
100mL		SR0222C	

**Urea Agar**

for the detection of urease production

Urea Agar Base (Christensen Agar Base)			
500g	for 20.8 litres medium	CM0053B	
Urea 40% Solution			
10x5mL	for 100mL medium	SR0020K	

**Urea Broth**

for the detection of urease production

Urea Broth Base (Christensen Broth Base)			
500g	for 55.6 litres medium	CM0071B	
Urea 40% Solution			
10x5mL	for 100mL medium	SR0020K	

UVM Broths – see Listeria Selective Enrichment Media (UVM Formulations)

**Vancomycin Supplement**

10 vials	3mg/vial	SR0186E	
10 vials	5mg/vial	SR0247E	

**Vegetable Peptone Broth**

a highly nutritious, meat-free alternative to Tryptone Soya Broth

500g	for 16.1 litres medium	VG0101B	
5kg	for 161.3 litres medium	VG0101T	
25kg	for 806.0 litres medium	VG0101K	

Vegetable Peptone Broth (Cold Filterable) – see Cold Filterable Vegetable Peptone Broth

**Vegetable Peptone Phosphate Broth**

a meat-free alternative to Tryptose Phosphate Broth suitable for use as a component of tissue culture media or for the cultivation of fastidious organisms

500g	for 16.9 litres medium	VG0200B	
------	------------------------	---------	--

**Violet Red Bile (Lactose) Agar**

for the presumptive enumeration of coliforms in foods

500g	for 13.0 litres medium	CM0107B	
2.5kg	for 65.0 litres medium	CM0107R	
5kg	for 130.0 litres medium	CM0107T	

**Violet Red Bile (Lactose) Agar (ISO)**

for the presumptive enumeration of coliforms in foods; meeting the ISO recovery specification

500g	for 13.0 litres medium	CM0968B	
------	------------------------	---------	--

**Violet Red Bile Agar (VRBA) with MUG**

allows presumptive identification of *E. coli*

500g	for 13.0 litres medium	CM0978B	
------	------------------------	---------	--

**Violet Red Bile Glucose Agar**

for the presumptive enumeration of Enterobacteriaceae

500g	for 13.0 litres medium	CM0485B	
2.5kg	for 65.0 litres medium	CM0485R	
5kg	for 130.0 litres medium	CM0485T	

**Violet Red Bile Glucose Agar (EP/USP/JP/BP)**

a solid medium recommended for use in quantitative and qualitative procedures for selective and differential isolation of bile-tolerant, Gram-negative bacteria

500g	for 11.7 litres medium	R455302	
------	------------------------	---------	--

**Violet Red Bile Glucose Agar (ISO)**

for the presumptive enumeration of Enterobacteriaceae in foods; meeting the ISO recovery specification

500g	for 13.0 litres medium	CM1082B	
2.5kg	for 65 litres medium	CM1082R	

**Vogel-Johnson Agar**

a USP formulation for the detection of *Staphylococcus aureus*

500g	for 8.2 litres medium	CM0641B	
Potassium Tellurite 3.5%			
10x2mL		SR0030J	

# 32 Culture Media and Supplements

## Dehydrated Culture Media

VRBA – see Violet Red Bile (Lactose) Agar

VRBA (ISO) – see Violet Red Bile (Lactose) Agar (ISO)

VRBGA – see Violet Red Bile Glucose Agar

VRBGA (ISO) – see Violet Red Bile Glucose Agar (ISO)

### VRE Broth

selective medium for the isolation of vancomycin-resistant enterococci (VRE) and high-level aminoglycoside-resistant enterococci (HLARE) from clinical samples

VRE Broth Base			
500g	for 13.5 litres medium	CM0984B	
Meropenem Supplement			
10 vials	for 500mL medium	SR0184E	

### VRE Media

selective media for the isolation of vancomycin-resistant enterococci (VRE) and high-level aminoglycoside-resistant enterococci (HLARE) from clinical samples; visit [www.thermoscientific.com/oxid](http://www.thermoscientific.com/oxid).

VRE Agar Base			
500g	for 11.7 litres medium	CM0985B	
Meropenem Supplement			
10 vials	for 500mL medium	SR0184E	
Gentamicin Supplement			
10 vials	for 500mL medium	SR0185E	
Vancomycin Supplement			
10 vials	for 500mL medium	SR0186E	

*Brilliance VRE Agar* – see page 14

*Wadowsky Yee Medium* – see MWY Medium

### Water Plate Count Agar (ISO)

a medium for the enumeration of culturable microorganisms from water

500g	for 20.8 litres medium	CM1012B	
------	------------------------	---------	--

### ★ Wilkins-Chalgren Anaerobe Agar

for the growth of anaerobes, and recommended for antimicrobial susceptibility testing of anaerobes; can be made more selective with the addition of Neomycin Supplement, N-S Anaerobe Supplement or G-N Anaerobe Supplement

Wilkins-Chalgren Anaerobe Agar			
500g	for 11.6 litres medium	CM0619B	
Neomycin Supplement 150mg/vial			
10 vials	for 2.0 litres medium	SR0163H	
N-S Anaerobe Selective Supplement for the selective isolation of nonsporing anaerobes			
10 vials	for 500mL medium	SR0107B	
G-N Anaerobe Selective Supplement for isolation of Gram-negative anaerobes			
10 vials	for 500mL medium	SR0108B	

### Wilkins-Chalgren Anaerobe Broth

for the growth of anaerobes, and recommended for antimicrobial susceptibility testing of anaerobes

500g	for 15.2 litres medium	CM0643B	
------	------------------------	---------	--

*Wilson and Blair* – see Bismuth Sulphite Agar

### WL Nutrient Agar

for the determination of the microbiological flora in brewing and fermentation processes; can be supplemented with cycloheximide

500g	for 6.7 litres medium	CM0309B	
Cycloheximide 0.1% Solution			
100mL		SR0222C	

### WL Nutrient Broth

for the determination of the microbiological flora in brewing and fermentation processes; can be supplemented with cycloheximide

500g	for 8.3 litres medium	CM0501B	
Cycloheximide 0.1% Solution			
100mL		SR0222C	

### Wort Agar

for the cultivation and enumeration of yeasts

500g	for 10.0 litres medium	CM0247B	
------	------------------------	---------	--

### XLD Agar (EP/USP/JP/BP)

a solid medium recommended for use in qualitative procedures for selective and differential isolation of enteric pathogens

500g	for 9.0 litres medium	R459902	
------	-----------------------	---------	--

### XLD Medium

a selective medium for the isolation of salmonellae and shigellae

500g	for 9.4 litres medium	CM0469B	
2.5kg	for 47.0 litres medium	CM0469R	

### XLT-4 Agar

a highly selective medium for the isolation of salmonellae and shigellae from clinical, environmental and food samples, according to Miller and Tate

XLT-4 Agar Base			
500g	for 8.5 litres medium	CM1061B	
XLT-4 Selective Supplement			
100mL	for 21.7 litres medium	SR0237C	

*Yeast Autolysate* – see Liquid Yeast Autolysate

### Yeast and Mould Agar

for the isolation and maintenance of yeasts and moulds

500g	for 12.2 litres medium	CM0920B	
------	------------------------	---------	--

### Yeast Extract Agar

a plate count agar for microorganisms in water

500g	for 21.7 litres medium	CM0019B	
2.5kg	for 108.5 litres medium	CM0019R	

### Yersinia Selective Medium (CIN) Agar

for the isolation and enumeration of *Yersinia enterocolitica* from clinical specimens and foods

Yersinia Selective (CIN) Agar Base			
500g	for 8.6 litres medium	CM0653B	
Yersinia Selective Supplement			
10 vials	for 500mL medium	SR0109E	

## Supplementary Reagents

Supplementary Reagent products should be stored at 2–8°C unless otherwise stated on the packaging.

### Broad Spectrum Beta-Lactamase Mixture

a mixture of beta-lactamase enzymes from *Bacillus cereus*, for the inactivation of beta-lactam antibiotic preparations present in specimens

10 vials		SR0113E	
----------	--	---------	--

### Egg Yolk Emulsion

a stabilized emulsion of egg yolk for use in culture media

100mL		SR0047C	
-------	--	---------	--

### Egg Yolk Tellurite Emulsion

an emulsion of egg yolk containing potassium tellurite for use in Baird-Parker Egg Yolk Media

100mL		SR0054C	
-------	--	---------	--

### Fildes Extract

a peptic digest of blood which is a rich source of growth factors, recommended for the preparation of many culture media

100mL		SR0046C	
-------	--	---------	--

### Horse Serum

an extract of horse blood for addition to culture media

100mL		SR0035C	
-------	--	---------	--

### Lactic Acid (10%)

10x1mL		SR0021H	
10x5mL		SR0021K	

### Laked Horse Blood

haemolysed blood for addition to culture media

100mL		SR0048C	
-------	--	---------	--

### Nitrocefin

for the rapid, chromogenic detection of beta-lactamase activity; contains nitrocefin, with rehydrating fluid

2x5 vials		SR0112C	
-----------	--	---------	--

### Penase

a lactamase enzyme from *Bacillus cereus* for the inactivation of a range of penicillins. Store at –20°C.

1 vial		SR0129B	
--------	--	---------	--

### Potassium Lactate

10x1mL		SR0037H	
--------	--	---------	--

### Potassium Tellurite 3.5%

10x2mL		SR0030J	
--------	--	---------	--

### RPF Supplement

only to be used with Baird-Parker Agar Base (RPF) (CM0961). Store below 0°C.

10 vials		SR0122A	
----------	--	---------	--

### Sputasol

a liquifying agent for sputum samples

10 vials		SR0233A	
----------	--	---------	--

### Tomato Juice

juice of ripe tomatoes for addition to culture media as a growth stimulant

100mL		SR0032C	
-------	--	---------	--

### TTC Solution (0.125%)

for addition to Tergitol-7 Agar

10x2mL		SR0148A	
--------	--	---------	--

### TTC Solution (1%)

for addition to K-F Streptococcus Agar

10x5mL		SR0229K	
--------	--	---------	--

### TTC Solution (5%)

for addition to Tergitol-7 Agar or K-F Streptococcus Agar

100mL		SR0211C	
-------	--	---------	--

### Urea 40% Solution

a solution for addition to culture media

10x5mL		SR0020K	
--------	--	---------	--

## Antibiotic Single Supplements

Antibiotic Single Supplements should be stored at 2–8°C unless otherwise stated on the packaging.

### Ampicillin Supplement

10 vials	2.5mg/vial	SR0136E	
----------	------------	---------	--

### Cefixime Supplement

10 vials	0.025mg/vial	SR0191E	
----------	--------------	---------	--

### Cephalexin (Bordetella Selective) Supplement

10 vials	20mg/vial	SR0082E	
----------	-----------	---------	--

### Chloramphenicol Supplement

10 vials	50mg/vial	SR0078E	
10 vials	200mg/vial	SR0078H	

### Cycloheximide Solution

100mL	0.1% solution	SR0222C	
-------	---------------	---------	--

### D-Cycloserine (Perfringens TSC) Supplement

10 vials	200mg/vial	SR0088E	
----------	------------	---------	--

### Gentamicin Supplement

10 vials	256mg/vial	SR0185E	
----------	------------	---------	--

# 34 Culture Media and Supplements

## Antibiotic Single Supplements, Bagged Media

Continued from page 33.

### Kanamycin Sulphate Supplement

10 vials	10mg/vial	SR0092E	
----------	-----------	---------	--

### Meropenem Supplement

10 vials	1mg/vial	SR0184E	
----------	----------	---------	--

### Neomycin Supplement

10 vials	150mg/vial	SR0163H	
----------	------------	---------	--

### Nitrocefin with Rehydration Fluid

2x5 vials	1mg/vial pair	SR0112C	
-----------	---------------	---------	--

### Novobiocin Supplement

10 vials	10mg/vial	SR0181E	
----------	-----------	---------	--

### Oxytetracycline (OGYE Selective) Supplement

10 vials	0.05g/vial	SR0073A	
----------	------------	---------	--

### Polymyxin B Supplement

10 vials	50,000 IU/vial	SR0099E	
----------	----------------	---------	--

### Vancomycin Supplement

10 vials	3mg/vial	SR0186E	
10 vials	5mg/vial	SR0247E	

## Bagged Media

### Dry-Bags

for maximum convenience, each bag is fitted with a filling filter; each bag makes 20 litres

Buffered Peptone Water			
10 bags		DB0509M	
Buffered Peptone Water (ISO)			
10 bags		DB1049M	
<b>NEW</b> Half Fraser Broth			
5 bags		DB0895L	
Maximum Recovery Diluent			
10 bags		DB0733M	

### Dry-Bags without Filters

Supplied without filling filters in place for a more economical option. Use with Dry-Bag Filters (DB0200A). Each bag makes 20 litres.

Buffered Peptone Water			
10 bags		DB0509W	
Buffered Peptone Water (ISO)			
10 bags		DB1049W	
Maximum Recovery Diluent			
10 bags		DB0733W	
Half Fraser Broth			
5 bags		DB0895V	
24 Listeria Enrichment Broth without filter (24 LEB for BAX <sup>®</sup> 24E Assay)			
5 bags		DB1107V	
Lactose Broth			
10 bags		DB0137W	

### Dry-Bag Filter

a 0.2µm, autoclavable filter for use with Dry-Bags. Autoclave before use.

Dry-Bag Filter			
1 filter		DB0200A	

### ReadyBags

each bag contains 3 litres of medium ready to use

Buffered Peptone Water			
4x3 litres		BM0104T	
3x3 litres		FR59102*	
Buffered Peptone Water (ISO)			
4x3 litres		BM1104T	
3x3 litres		FR60171*	
Half Fraser			
3x3 litres		FR59562*	
Maximum Recovery Diluent			
4x3 litres		BM0204T	
ONE Broth Listeria			
3x3 litres		FR60031*	
ONE Broth Salmonella			
3x3 litres		FR60101*	
Peptone Selective			
3x3 litres		FR59772*	

each bag contains 5 litres of medium ready to use

Buffered Peptone Water			
2x5 litres		FR59103*	
Buffered Peptone Water (ISO)			
2x5 litres		FR60121*	
Half Fraser			
2x5 litres		FR59563*	

### Bag Accessories

only suitable for use with ReadyBags

Bag Connectors (disposable)			
25		BM9925A	

suitable for use with ReadyBags and Dry-Bags; can be autoclaved for reuse

Bag Connectors (stainless steel)			
each		BM9901A	

\*Limited supply. Contact your local representative.